

2016 Spey line recommendations

RIO is pleased to be able to provide this line recommendation for a number of two handed rods on the market. You will notice two line ratings per line. The "A" rating is for more experienced casters, or for casters that like to cast off the tip of the rod. The **"B" rating is for less experienced casters, and for casters that like to feel a deeper load in the rod. It is also a good choice for coping with tough winds, or using larger flies.**

The **"Skagit"** column refers to either the Skagit Max, Max Short, iFlight or iShort shooting heads. With any of the Skagit lines a front tip needs to be added. When a tip is added, the overall weight of the line will increase by the weight of the tip. That weight increase has been allowed for in these recommendations. Do not subtract the weight of the tip you are putting on from these grain weights, unless you are only going to overhead cast it.

With the popularity of two handed rods growing for overhead casting in the surf, on a lake and even in a river, the column "OutBound" is listed and this applies to the correct weight of OutBound Shooting Head, OutBound or OutBound Short required to load the rod for overhead casting only - a weight that is less than what is needed for spey casting.

Finally, these recommendations are only guidelines as to the correct line weight to be used. RIO Products is not responsible for any rod breakages or if you find the line does not load as you would wish. How a rod loads is a personal feeling and these recommendations are only a guideline.

With the plethora of lines available it is impossible to have a column that separates Skagit Max from Skagit Max Shorts and iFlights, and OutBound lines from OutBound Shorts, and OutBound Short Shooting Heads. The simplest guideline is if the rod is less than 13 ft long, choose the "Short" version of these lines.

Manufacturer	Model	RIO				Scandi		Scandi		InTouch Short		InTouch Long		InTouch Switch		InTouch		InTouch
		Skagit		Scandi		Short VT		VersiTip		Head Spey		UniSpey		Head Spey		Chucker		Switch
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	(Short)
Beulah	Onyx 12' 4" #5	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	WF7
	Onyx 13' 1" #6	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	Onyx 12' 9" #7	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	WF9
	Onyx 13' 7" #7	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	WF9
	Onyx 14' #8	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	WF10
	Platinum 11' 7" 5	275	325	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5 5/6
	Platinum 12' 6" 6	350	400	300	360	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#7	-
	Platinum 13' 2" 7	425	475	390	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	#7	#8	-
	Platinum 12' 4" 8	525	575	480	510	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	#8	#9	-
	Platinum 13' 8" 8	575	625	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	#8	#9	-
	Platinum Switch 10' 5	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-
	Platinum Switch 10' 4" 6	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5 5/6
	Platinum Switch 10' 8" 7	375	425	360	420	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6 6/7
	Platinum Switch 11' 8	425	475	390	435	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7 7/8
	Opal Surf 11' 5/6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opal Surf 11' 7/8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Opal Surf 11' 9/10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bruce & Walker	Powerlite 11' 3" # 7-9	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	#8	#9	7/8 8/9
	Powerlite 12' 4" # 8-9	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-
	Powerlite 13' # 8-10	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-
	Powerlite 14' # 9-10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-
	Powerlite 14' # 7-10	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-
	Powerlite 15' # 7-9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-
	Powerlite 15' # 10	600	650	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-
	Powerlite 15' # 11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-
	Powerlite 16' # 9-10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-
	Powerlite 16' # 11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-
	Powerlite 18' # 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-
	Powerlite 18' # 11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-
	Powerlite Deluxe 13' #9	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-
	Powerlite Deluxe 14' #9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-
	Powerlite Deluxe 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-
	Powerlite Deluxe 16' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-
	Kola 15' 3" 9-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-
	Kola 16' 3" #10-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-
	Norway II 12' 7-9 - 3 piece	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-
	Norway II 13' #9 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-
	Norway II 14' #9 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-
	Norway II 15' 9-10 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		UniSpey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Bruce & Walker	Norway II 15' 10-11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 16' 9-10 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 16' #11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 17' #11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 18' #11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 12' 7-9 - 4 piece	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Norway II 13' #9 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 14' #9 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 15' 9-10 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 15' 10-11 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 16' 9-10 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 16' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 17' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 18' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 20' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Double Spey 13' #8-10	575	625	460	520	#8	#9	#9	#10	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Double Spey 14' #9-10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Double Spey 16' #10-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Shooting Head 14' 37 grams	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Shooting Head 12' 4" 30 grams	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
Bob Meiser	Walker 13' 6" #8	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Walker 14 6" 9-10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Walker 15' 6" 10-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Walker 16' 6" 9-10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H1264S-4	250	275	240	270	#4	#5	-	-	-	-	-	-	-	-	-	-	-	-	WF6
	S2H1265S-4	325	350	300	360	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	S2H1266S-4	375	425	360	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H1267S-4	450	500	435	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1306S-4	375	425	360	390	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H1307S-4	425	475	435	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1308S-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1367S-4	450	500	420	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1368S-4	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1407S-4	450	500	420	460	-	-	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1408S-4	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1409S-4	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H1507S-4	450	500	420	460	-	-	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1508S-4	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H15011S-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H1608S-4	550	600	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H16011S-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H1396S-5	400	450	360	420	-	-	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H1397S-5	450	500	420	460	-	-	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1398S-5	525	575	520	540	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1399S-5	600	650	510	540	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H12656MKS-4	375	425	360	390	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7
	S2H12678MKS-4	500	550	480	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13067MKS-4	425	475	330	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H13078MKS-4	525	575	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13678MKS-4	525	575	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13689MKS-4	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H136910MKS-4	650	700	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H14067MKS-4	400	450	360	400	-	-	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H14078MKS-4	500	550	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H140910MKS-4	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H15089MKS-4	550	625	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10

Manufacturer	Model	RIO				Scandi		Scandi		InTouch Short		InTouch Long		InTouch Switch		InTouch		InTouch OutBound (Short)		
		Skagit		Scandi		Short VT		VersiTip		Head Spey		UniSpey		Head Spey		Chucker			Switch	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"		"A"	"B"
Bob Meiser	S2H150910MKS-4	650	725	540	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H11757C-4	425	475	390	420	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF8
	S2H12635C-4	200	240	210	240	#4	#5	-	-	-	-	-	-	-	-	-	-	-	-	WF6
	S2H12646C-4	325	350	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7
	S2H12657C-4	425	475	400	435	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H12668C-4	500	550	450	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13057C-4	450	500	450	480	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H13068C-4	525	575	510	540	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13079C-4	550	600	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H136FES79-4	575	625	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H14068C-4	500	550	480	510	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H140EVE79-4	550	600	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H140911C-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H15068C-4	500	550	480	510	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H15079C-4	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H150911C-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H15946C-4	275	325	270	300	-	-	-	#7	-	-	-	-	-	-	-	-	-	-	WF7
	S2H16079C-4	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H160911C-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H10635-4	250	300	240	270	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF6
	S2H11045-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF6
	S2H11056-4	375	425	300	390	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF7
	S2H11067-4	425	475	420	435	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF8
	S2H11078-4	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9
	S2H11089-4	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF10
	S2H110910-4	625	675	510	540	#9	-	-	-	-	-	-	-	-	-	#9	-	8/9	-	WF11
	S2H90967-3	425	475	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF8
	S2H90978-3	525	575	510	540	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9
	S2H909910-3	575	625	510	540	#9	-	-	-	-	-	-	-	-	-	#9	-	-	-	WF11
Burkheimer	CF7125-3	425	475	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	CF7133-3	500	550	435	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	CF8133-3	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	CF8139-3	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	CF9143-3	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	CF9149-3	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	CF10130-3	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	CF10150-3	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	CF7115-4	450	500	435	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	#7	#8	6/7	7/8	WF8
	CF7127-4	450	500	435	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8
	CF7134-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8
	CF7141-4	450	500	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8
	CF8115-4	475	525	450	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	#7	#8	7/8	8/9	WF9
	CF8128-4	500	550	450	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	CF8134-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	CF8142-4	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	CF9119-4	575	625	510	540	#9	-	-	-	8/9	9/10	8/9	9/10	8/9	9/10	#7	#8	7/8	8/9	WF10
	CF9129-4	575	625	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	CF9135-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	CF9145-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	CF10129-4	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	CF10153-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	CF10155-4	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	CF11155-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12

Manufacturer	Model	RIO		Scandi		Scandi		Scandi		InTouch Short		InTouch Long		InTouch Switch		InTouch		InTouch
		Skagit		Scandi		Short VT		VersiTip		Head Spey		UniSpey		Head Spey		Chucker		OutBound
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	(Short)
Cabelas	Lsi 1065-4	275	325	270	300	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5 5/6 WF6
	Lsi 1136-4	325	375	300	360	#6	#7	-	-	-	-	-	-	-	-	#5	#6	5/6 6/7 WF7
	Lsi 1107-4	425	475	420	435	#7	#8	-	-	-	-	-	-	-	-	#6	#7	6/7 7/8 WF9
	Lsi 1267-4	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	WF9
	Lsi 1168-4	475	525	450	480	#8	#9	-	-	-	-	-	-	-	-	#7	#8	7/8 8/9 WF10
	Lsi 1248-4	525	575	480	540	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	WF10
	Lsi 1308-4	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	WF10
	Lsi 1409-4	600	650	520	580	#9	-	#9	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	WF11
	Traditional II 1308-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	WF10
	Traditional II 1409-4	575	625	520	580	#9	-	#9	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	WF11
Echo	TR 12' #4	275	325	240	270	-	#4	-	-	-	-	-	-	-	-	-	#4	- 4/5 WF6
	TR 12' #5	325	375	270	300	#4	#5	-	-	-	5/6	-	-	-	-	-	-	WF7
	TR 12' 6" #6	375	425	360	390	#5	#6	-	-	5/6	6/7	-	6/7	-	-	-	-	WF8
	TR 13' #7	475	525	435	480	-	-	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	WF9
	TR13' 6" #8	525	575	510	540	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	WF10
	TR 14' #9	600	650	510	540	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	WF11
	E3 SR 6110	400	450	360	390	#6	#7	-	-	-	-	-	-	-	-	#5	#6	5/6 6/7 WF8
	E3 SR 7110	450	500	390	420	#7	#8	-	-	-	-	-	-	-	-	#6	#7	6/7 7/8 WF9
	E3 SR 8110	500	550	435	480	#8	#9	-	-	-	-	-	-	-	-	#7	#8	7/8 8/9 WF10
	E3 TH 6127	400	450	390	420	#6	#7	-	-	-	-	-	6/7	-	-	-	-	WF8
	E3 TH 7130	475	525	420	480	-	-	#7	#8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	E3 TH 8134	550	575	480	510	-	-	#8	#9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	King 9130	650	700	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	WF11
	King 10130	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	WF12
	Switch 10' 6" #3	225	275	210	240	-	#4	-	-	-	-	-	-	-	-	-	#4	- WF5
	Switch 10' 6" #4	250	300	240	270	#4	#5	-	-	-	-	-	-	-	-	#4	#4	- 4/5 WF6
	Switch 10' 8" #5	275	325	240	270	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5 5/6 WF7
	Switch 10' 10" #6	375	425	300	390	#6	#7	-	-	-	-	-	-	-	-	#5	#6	5/6 6/7 WF8
	Switch 10' 10" #7	425	475	420	435	#7	#8	-	-	-	-	-	-	-	-	#6	#7	6/7 7/8 WF9
	Switch 10' 10" #8	525	575	480	540	#8	#9	-	-	-	-	-	-	-	-	#7	#8	7/8 8/9 WF10
	Classic 10' 9" #5	300	350	270	300	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5 5/6 WF7
	Classic 11' #6	350	400	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	5/6 6/7 WF8
	Classic 11' #7	425	475	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#7	6/7 7/8 WF9
	Classic 11' #8	475	525	420	435	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7 7/8 WF10
	Classic 12' 6" #6	400	450	360	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	WF8
	Classic 12' 9" #7	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	WF9
	Classic 13' #8	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	WF10
Gary Anderson	ACR Trout 1193-5	225	250	210	240	-	#4	-	-	-	-	-	-	-	-	-	-	WF5
	ACR Trout 1194-4	250	300	240	270	-	#4	-	-	-	-	-	-	-	-	-	#4	- WF6
	ACR Trout 1214-4	250	300	240	270	-	#4	-	-	-	-	-	-	-	-	-	#4	- 4/5 WF6
	ACR Trout 1195-5	300	350	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#5	4/5 4/5 WF7
	ACR Trout 1255-4	300	350	270	300	#4	#5	-	-	-	5/6	-	-	-	-	#4	#5	4/5 5/6 WF7
	ACR Switch 11' #5	300	350	270	300	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5 5/6 WF7
	ACR Switch 11' #6	350	400	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	5/6 6/7 WF8
	ACR Switch 11' #7	425	475	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#7	6/7 7/8 WF9
	ACR Switch 11' #8	475	525	420	435	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7 7/8 WF10
	ACR Switch 11' #9	525	575	460	520	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8 8/9 WF11
	Explorer 1266-4	375	425	360	390	#5	#6	-	-	5/6	6/7	-	6/7	-	-	-	-	WF8
	Explorer 1317-4	475	525	420	435	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	WF9
	Explorer 1368-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	WF10
	ACR 1255-4	325	375	270	300	#4	#5	-	-	-	-	-	-	-	-	-	-	WF7
	ACR 1555-4	325	375	270	300	-	-	-	-	-	5/6	-	-	-	-	-	-	WF7
	ACR 1296-4	375	425	300	360	#5	#6	-	-	5/6	6/7	-	-	-	-	-	-	WF8
	ACR 1386-4	500	550	480	510	-	-	-	#7	5/6	6/7	-	-	-	-	-	-	WF8
	ACR 1297-4	450	500	420	435	#6	#7	-	-	6/7	7/8	-	6/7	-	-	-	-	WF9

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		UniSpey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Gary Anderson	ACR 1237-5	475	525	420	435	#6	#7	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	ACR 1337-4	450	500	420	435	-	-	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	ACR1338-4	525	575	510	540	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACR1398-4	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACR1418-4	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACR1449-4	575	625	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
Greys	XF2 12' #7	475	525	450	480	#7	#8	-	-	6/7	7/8	-	-	-	-	-	-	-	-	WF9
	XF2 12' #9	600	650	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	XF2 13' #8	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	XF2 14' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	XF2 15' #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	XF2 T 12' #7	475	525	450	480	#7	#8	-	-	6/7	7/8	-	-	-	-	-	-	-	-	WF9
	XF2 T 13' #8	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	XF2 T 14' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	XF2 T 15' #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	XF2 T 16' #11	700	750	640	640	-	-	#10	#11	10/11	10/11	10/11	10/11	10/11	10/11					
	GR50 13' 8/9	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	GR50 14' 9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	GR50 15' 10/11	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Guideline	LPXe Switch 11' 6/7	450	500	390	435	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF8
	LPXe Switch 11' 7/8	475	525	435	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9
	LPXe Switch 11' 8/9	550	600	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF10
	ACT 4 12' 6" 8/9	525	575	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACT 4 13' 7" 9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	ACT 4 14' 8" 10/11	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	LPXe 12' 6" 7/8	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	LPXe 12' 6" 8/9	550	575	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	LPXe 13' 8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	LPXe 14' 9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	LPXe 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Le Cie 12' 6" 6/7 - 7/8	675	525	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Le Cie 12' 6" 8/9 - 9/10	525	575	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Le Cie 13' 2" 9/10	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Le Cie 13' 7" 7/8	500	550	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Le Cie 13' 7" 8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Le Cie 13' 7" 9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Le Cie 13' 7" 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Le Cie 14' 8" 8/9	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Le Cie 14' 8" 9/10	650	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Le Cie 14' 8" 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Hardy	Angel 2 12' #7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Angel 2 13' #8	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Angel 2 14' #9	575	625	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Angel 2 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Demon 12' #7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Demon 13' #8	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Demon 14' #9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Demon 15' #10	600	650	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Zenith DH 12' 6" #7	475	525	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Zenith DH 13' 6" #8	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Zenith DH 14' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Zenith DH 15' 1" #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Marksman S 11' 6" #7	450	500	420	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9
	Marksman S 12' 6" #8	500	550	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Marksman S 12' 6" #9	550	600	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Marksman S 13' 8" #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Marksman S 14' 8" #10	675	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12

Manufacturer	Model	RIO				Scandi		Scandi		InTouch Short		InTouch Long		InTouch Switch		InTouch		InTouch		
		Skagit		Scandi		Short VT		VersiTip		Head Spey		UniSpey		Head Spey		Chucker		Switch	OutBound	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	(Short)	
Hardy	Marksman S 15' 8" #11	700	750	580	640	-	-	-	#10	#11	10/11	-	10/11	-	10/11	-	-	-	WF12	
	Marksman T 12' #7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	WF9	
	Marksman T 13' #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	WF10	
	Marksman T 14' #9	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	WF11	
	Marksman T 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	WF12	
	Marksman T 16' #11	675	725	580	640	-	-	#10	#11	10/11	-	10/11	-	10/11	-	-	-	-	WF12	
	Demon 12' #7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	WF9	
	Jet Switch 10' 6" #4/5	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6
	Jet Switch 10' 6" #5/6	375	425	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF7
	Jet Switch 10' 6" #6/7	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8
	Jet Switch 11' #6/7	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8
	Jet Switch 11' #7/8	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#9	7/8	8/9	WF9
	Jet Switch 11' #8/9	600	650	510	540	#9	-	-	-	8/9	9/10	-	-	-	-	#9	-	8/9	-	WF10
	Jet 14' #9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Jet 15' #10	600	650	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Swift 11' 6" #7	450	500	420	450	#7	#8	-	-	-	-	-	-	-	-	#6	#7	6/7	7/8	WF9
	Swift 13' #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Swift 14' #9	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Swift 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Swift 16' #11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Loomis	Gr. Ln. 14' #8/9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Gr. Ln. 15' #7/8	475	525	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF10
	Gr. Ln. 15' #8/9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Gr. Ln. 15' #9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Gr. Ln. 16' #9/10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Gr. Ln. 15' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Gr. Ln. 17' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Dredger 13' 4" #7/8	450	500	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Dredger 13' 9" #8/9	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Dredger 14' #9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Stinger 12' 6" 450gr	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Stinger 13' 500gr	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Stinger 13' 6" 550gr	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Stinger 15' 1" 700gr	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	NRX Switch 12' 6wt	400	425	330	360	#6	#7	-	-	5/6	6/7	-	-	-	-	#5	#6	5/6	6/7	WF8
	NRX Scandi 12'6" 9/10	650	700	510	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	NRX 14' 6/7	475	500	400	450	-	-	-	#7	6/7	7/8	-	6/7	-	-	-	-	-	-	WF8
	NRX 13'7/8	525	575	435	450	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	NRX 13' 8/9	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	NRX 14' 8/9	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	NRX 14' 9/10	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	NRX 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	PRO4X Switch 10'6" 5wt	350	375	300	330	#5	#6	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF7
	PRO4X Switch 11' 7wt	425	450	360	390	#7	#8	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF9
	PRO4X Switch 11'6" 9wt	525	550	450	480	#9	-	-	-	-	-	-	-	-	-	#8	#9	8/9	-	WF11
	PRO4X 13' 7/8	525	550	435	450	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	PRO4X 13' 8/9	575	600	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	PRO4X 14' 9/10	600	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	PRO4X 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	GLX Switch 11' #5	325	375	300	330	#5	#6	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF7
	GLX Switch 11' #7	450	500	420	450	#7	#8	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF9
	GLX Switch 11' #8	500	550	450	510	#8	#9	-	-	-	-	-	-	-	-	#7	#8	7/8	8/9	WF10

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		UniSpey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Loop	G.A. Signature Series 12' # 6	375	425	-	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	G.A. Signature Series 14' # 8	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	G.A. Signature Series 11' 6" # 9	575	625	520	580	#9	-	-	-	8/9	9/10	8/9	9/10	8/9	9/10	-	#9	-	8/9	WF11
	G.A. Signature Series 12' 6" # 9	600	650	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	G.A. Signature Series 14' 6" # 10	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Opti Power Spey 13' # 9-10	600	650	460	520	-	-	#9	#10	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Opti Power Spey 14' # 9-10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Opti Power Spey 15' # 10-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Evotec 12' 6" # 6, MF	375	425	-	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	Evotec 13' # 7, MF	425	475	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Evotec 12' # 8, MF	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Evotec 13' 6" # 8, MF	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Evotec 13' 6" # 8, F	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Evotec 14' # 9, MF	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Evotec 14' # 9, F	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Evotec 15' # 10, MF	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Evotec 15' # 10, F	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	XACT 12' 6" # 6, MF	375	425	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	XACT 13' # 7, MF	425	475	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	XACT 12' 6" # 8, MF	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	XACT 13' 6" # 8, MF	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	XACT 14' # 9, MF	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	XACT 15' # 10, MF	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Orvis	Clearwater Switch 11' #6	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF8
	Clearwater Switch 11' #7	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9
	Clearwater Switch 11' 9" #7	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9
	Clearwater Switch 11' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF10
	Clearwater Switch 12' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF10
	Clearwater 12' #5	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7
	Clearwater 12' 6" #6	400	450	360	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	Clearwater 13' #7	475	525	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Clearwater 13' 6" #8	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Clearwater 14' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Helios 2 Switch 11' #5	325	375	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF7
	Helios 2 Switch 11' #6	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF8
	Helios 2 Switch 11' #7	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9
	Helios 2 Switch 11' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF10
	Helios 2 Switch 11' #9	550	600	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
Redington	Chromer Switch 6116-4	325	375	300	360	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF7
	Chromer Switch 7116-4	375	425	360	390	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF8
	Chromer Switch 8116-4	475	525	435	450	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF9
	Chromer 6126-4	425	475	360	390	#5	#6	#5	#6	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	Chromer 7126-4	475	525	400	460	#7	#8	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Chromer 8126-4	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Chromer 7136-4	475	525	400	460	#7	#8	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Chromer 8136-4	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Dually 4109-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF5
	Dually 5110-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6
	Dually 6110-4	375	425	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF7
	Dually 7113-4	450	500	390	435	#7	#8	-	-	5/6	6/7	-	6/7	-	-	#7	#8	6/7	7/8	WF8
	Dually 8119-4	500	550	450	480	#8	#9	-	-	6/7	7/8	6/7	7/8	-	-	#8	#9	7/8	8/9	WF9
	Dually 6126-4	400	450	360	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	Dually 7130-4	500	550	460	520	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	Dually 8136-4	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		UniSpey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
St. Croix	I1105.4	275	325	270	300	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF7
	I1106.4	375	425	360	390	#6	#7	-	-	-	-	-	-	-	-	#5	#6	5/6	6/7	WF8
	I1107.4	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#6	#7	6/7	7/8	WF9
	I1108.4	525	575	510	540	#8	#9	-	-	-	-	-	-	-	-	#7	#8	7/8	8/9	WF10
	U12667.4	425	475	400	460	#6	#7	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	U1378.4	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	U1489.4	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	U15910.4	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Sage	Accel Switch 6114-4	375	425	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF7
	Accel Switch 7114-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8
	Accel Switch 8114-4	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#9	7/8	8/9	WF9
	Accel 6126-4	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	-	-	-	-	-	WF8
	Accel 7126-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Accel 7136-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Accel 8136-4	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Method 6119-4 Switch	400	450	390	420	#6	#7	-	-	5/6	6/7	-	-	-	-	#6	#7	5/6	6/7	WF7
	Method 7119-4 Switch	475	525	450	480	#7	#8	-	-	6/7	7/8	-	-	-	-	#7	#8	6/7	7/8	WF8
	Method 8119-4 Switch	550	600	480	510	#8	#9	-	-	7/8	8/9	-	-	-	-	#8	#9	7/8	8/9	WF9
	Method 9119-4 Switch	600	650	510	540	#9	-	-	-	8/9	9/10	-	-	-	-	#9	-	8/9	-	WF10
	Method 6126-4	425	475	390	450	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	Method 7126-4	500	550	450	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Method 8126-4	550	600	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Method 9140-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Method 10150-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	MOD 6130-4	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	-	-	-	-	-	WF9
	MOD 7130-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	ONE Trout Spey 2109-4	200	250	180	210	-	-	-	-	-	-	-	-	-	-	#2	#3	-	-	-
	ONE Trout Spey 3110-4	250	300	240	270	-	-	-	-	-	-	-	-	-	-	#3	#4	-	-	WF5
	ONE Switch 4116-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF5
	ONE Switch 5116-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6
	ONE Switch 6116-4	375	425	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF7
	ONE Switch 7116-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8
	ONE Switch 8116-4	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#9	7/8	8/9	WF9
	ONE 5126-4	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7
	ONE 6126-4	400	450	360	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	ONE 7126-4	500	550	480	540	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	ONE 7126-6	500	550	480	540	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	ONE 7136-4	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	ONE 7136-6	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	ONE 8126-4	575	625	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ONE 8136-4	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ONE 9140-4	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	ONE 9140-6	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	ONE 10130-4	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	ONE 10150-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Pulse Switch 7114-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8
	Pulse Switch 8114-4	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#9	7/8	8/9	WF9
	Pulse Spey 7130-4	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Pulse Spey 8136-4	575	625	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
Sierra	Switch 10' 8" 6/7	400	450	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF9
	Switch 11' 2" 7/8	475	525	435	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF10
	Double Handed 11' 8" 7/8	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	#7	#8	6/7	7/8	WF10
	Double Handed 13' 1" 8/9	550	600	7/8	8/9	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Double Handed 13' 9" 9/10	625	675	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Double Handed 14' 6" 9/10	625	675	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Double Handed 15' 6" 10/11	700	750	9/10	10/11	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Ferox 13' 9" 9/10	650	700	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Ferox 15' 9" 10/11	700	750	9/10	10/11	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Matuka 12' 9" 8/9	575	625	7/8	8/9	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Matuka 14' 1" 9/10	650	700	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		UniSpey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Scott	T3H 1064	275	325	240	270	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF7
	T3H 1106	425	475	360	390	#8	#9	-	-	-	5/6	-	-	-	-	#5	#6	5/6	7/8	WF9
	T3H 1286	400	450	360	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	T3H 1356	400	450	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	T3H 1287	450	500	420	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	T3H 1357	450	500	420	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	T3H 1108	525	575	480	510	#7	#8	-	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	T3H 1288	500	550	480	510	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	T3H 1358	525	575	510	540	-	-	#7	#8	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	T3H 1409	625	675	520	580	-	-	#8	#9	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	T3H 1509	600	650	520	580	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	T3H 1510	675	725	280	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	T3H 1610	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	L2H 1105	350	400	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF7
	L2H 1106	375	425	360	390	#6	#7	-	-	-	5/6	-	-	-	-	#6	#7	5/6	6/7	WF8
	L2H 1256	375	425	360	390	#6	#7	-	-	5/6	6/7	5/6	6/7	5/6	-	-	-	-	-	WF8
	L2H 1157	450	500	420	450	#7	#8	#7	#8	-	-	-	-	-	-	#5	#6	5/6	6/7	WF9
	L2H 1257	425	475	420	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	L2H 1158	525	575	450	480	#8	#9	#8	#9	-	-	-	-	-	-	#7	#8	7/8	8/9	WF10
	L2H 1308	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	L2H 1409	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	L2H 1510	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Snowbee	Diamond Spey 12' 6" 7/8	500	550	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF10
	Diamond Spey 13' 8/9	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Diamond Spey 14' 9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Diamond Spey 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Diamond Switch 10' 6" #7	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8
	Diamond Switch 10' 6" #8	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#9	7/8	8/9	WF9
Temple Fork	11' #5 Pro	325	375	300	330	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF7
	12' 6" #6 Pro	400	450	390	435	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	12' 6" #8 Pro	525	575	480	510	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	13' 3" #8 Pro	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	14' #9 Pro	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	15' #10 Pro	625	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	13' 9" #9/10 Sca	600	650	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	14' 9" #10/11 Sca	700	750	580	640	-	-	#10	#11	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	12' #12 T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF12
	Pandion 12' 9" #6	450	500	420	450	#7	#8	-	-	5/6	6/7	-	-	-	-	#6	#7	6/7	7/8	WF8
	Pandion 13' 3" #8	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Pandion 13' 9" #9	625	675	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Deer Creek 12' 6" #4/5	325	375	270	300	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF6
	Deer Creek 12' 6" #5/6	375	425	300	360	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7
	Deer Creek 13' #6/7	450	500	420	450	#7	#8	-	-	5/6	6/7	-	-	-	-	#6	#7	6/7	7/8	WF8
	Deer Creek 13' #7/8	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Deer Creek 13' 6" #8/9	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Deer Creek 14' #6/7	450	500	420	450	#7	#8	-	-	5/6	6/7	-	-	-	-	#6	#7	6/7	7/8	WF8
	Deer Creek 14' #7/8	475	525	435	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF10
	Deer Creek 14' #9/10	625	675	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Deer Creek 15' #8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Deer Creek 15' #9/10	625	675	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Deer Creek Switch 11' #4	250	300	240	270	#4	#5	-	-	-	-	-	-	-	-	-	#4	-	4/5	WF5
	Deer Creek Switch 11' #5	325	375	270	300	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF6
	Deer Creek Switch 11' #6	400	450	330	360	#6	#7	-	-	-	-	-	-	-	-	#5	#6	5/6	6/7	WF7
	Deer Creek Switch 11' #7	450	500	420	450	#7	#8	-	-	-	-	-	-	-	-	#6	#7	6/7	7/8	WF8
	Deer Creek Switch 11' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#7	#8	7/8	8/9	WF9
	Deer Creek Switch 11' #9	575	625	510	540	#9	-	-	-	-	-	-	-	-	-	#8	#9	8/9	8/9	WF10

Manufacturer	Model	RIO				Scandi		Scandi		InTouch Short				InTouch Long				InTouch Switch		InTouch		InTouch OutBound
		Skagit		Scandi		Short VT		VersiTip		Head Spey		UniSpey		Head Spey		Chucker		Switch				
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	(Short)		
Thomas & Thomas	DNA Switch 1005-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6		
	DNA Switch 1006-6	375	425	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF7		
	DNA Switch 1007-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8		
	DNA Switch 1105-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6		
	DNA Switch 1106-4	375	425	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF7		
	DNA Switch 1107-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8		
	DNA Trout Spey 1163-4	250	300	240	270	-	-	-	-	-	-	-	-	-	-	#3	#4	-	-	WF5		
	DNA Trout Spey 1164-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF5		
	DNA Trout Spey 1195-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6		
	DNA 1195-4	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7		
	DNA 1266-4	400	450	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8		
	DNA 1307-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9		
	DNA 1368-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	DNA 1477-4	475	525	400	460	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
	DNA 1498-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	DNA 1409-5	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	DNA 1510-5	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	DNA XF 1177-4	400	450	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8		
	DNA XF 1267-4	500	550	480	540	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
	DNA XF 1298-4	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	DNA XF 1339-4	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	DNA XD 1167-4	475	525	400	460	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
	DNA XD 1208-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	DNA XD 1338-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Vision	Cult 12' 6" #6	400	450	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8		
	Cult 12' 6" #7	475	525	400	460	#7	#8	-	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9		
	Cult 13' 4" #7	450	500	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9		
	Cult 13' 2" #8	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	Cult 13' 8" #9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	Cult 14' 7" #9	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	GT4 Catapult 11' 6" #7	475	525	435	480	#7	#8	#7	#8	5/6	6/7	-	-	-	-	#6	#7	6/7	7/8	WF9		
	GT4 Catapult 13" #9	550	600	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	GT4 Catapult 14' #10	550	625	520	580	-	-	#10	#11	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	GT4 Catapult 15" #11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	Nite 12' 2" 8/9	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11		
	Nite 13' 7" 9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12		
	Nite 14' 9" 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	Nite 16' 9" 11/12	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	Attack 13' 8/9	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11		
	Attack 14' 9/10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12		
	Attack 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Winston	BIII TH 11' #6	400	450	330	390	#6	#7	-	-	-	-	-	-	-	-	#5	#6	5/6	6/7	WF8		
	BIII TH 11' 6" #6	425	475	360	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#5	#6	5/6	6/7	WF8		
	BIII TH 12' 6" #6	400	450	360	400	#6	#7	-	-	-	5/6	-	-	-	-	-	-	-	-	WF8		
	BIII TH 12' 9" #7	475	525	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9		
	BIII TH 13' 3" #7	475	525	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9		
	BIII TH 13' 6" #8	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	BIII TH 14' #8	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	5/6	6/7	WF10		
	BIII TH 15' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	BIII TH-MS 3106-4	250	275	210	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF5		
	BIII TH-MS 4110-4	275	325	240	270	-	#4	-	-	-	-	-	-	-	-	-	#4	-	4/5	WF6		
	BIII TH-MS 5116-4	350	400	300	330	#4	#5	-	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF7	

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		UniSpey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Zpey	HM Signature 12' #7	475	525	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	HM Signature 12' 1" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	HM Signature 13' 1" #9	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	HM Signature 13' 3' #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	HM Signature 13' 9" #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Inspire 12' 6" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Inspire 13' 6" #9	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Inspire 14' #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Inspire Classic 12' 6" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Inspire Classic 13' 6" #9	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Inspire Classic 14' 3" #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12

If you have an older model rod that is not shown here, check out the other PDF file "Older rods Spey line recs."