

RIO Spey line recommendations for older rods

Manufacturer	Model	RIO		Scandi		Scandi		InTouch Short		InTouch Long		InTouch		InTouch		OutBound (Short)
		Skagit "A" "B"	Scandi "A" "B"	Short VT "A" "B"	VersiTip "A" "B"	Head Spey "A" "B"	UniSpey "A" "B"	Head Spey "A" "B"	Chucker "A" "B"	Switch "A" "B"						
Beulah	Switch 10' 6" 4/5	275 325	240 270	#4 #5	- -	- -	- -	- -	- -	- -	- -	#4 #5	- 4/5	WF6		
	Switch 10' 6" 5/6	325 375	300 360	#5 #6	- -	- -	- -	- -	- -	- -	- -	#5 #6	4/5 5/6	WF7		
	Switch 10' 6" 6/7	375 425	360 390	#6 #7	- -	- -	- -	- -	- -	- -	- -	#6 #7	5/6 6/7	WF8		
	Switch 10' 6" 7/8	425 475	390 420	#7 #8	- -	- -	- -	- -	- -	- -	- -	#7 #8	6/7 7/8	WF9		
	Switch 10' 6" 8/9	450 500	435 480	#7 #8	- -	- -	- -	- -	- -	- -	- -	#7 #8	6/7 7/8	WF10		
	Classic 11' 6" 6/7	425 475	360 390	#6 #7	- -	5/6 6/7	- -	6/7 7/8	- -	6/7 7/8	- -	#6 #7	5/6 6/7	WF9		
	Classic 12' 7" 7/8	500 550	480 510	#7 #8	- -	6/7 7/8	6/7 7/8	6/7 7/8	- -	7/8 8/9	- -	#7 #8	- -	WF10		
	Classic 13' 6" 8/9	575 625	480 520	#8 #9	#8 #9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	- -	#8 #9	- -	WF11		
	Surf 11' 7/8	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	WF10		
	Surf 11' 8/9	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	WF11		
Surf 11' 9/10	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	WF12			
Bruce & Walker	Norway 14' # 9	625 675	520 580	- -	#8 #9	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	- -	- -	WF10		
	Norway 15' # 9-10	675 700	580 640	- -	#9 #10	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF11		
	Norway 15' # 10-11	700 750	640 640	- -	#10 #11	10/11 10/11	10/11 10/11	10/11 10/11	10/11 10/11	10/11 10/11	10/11 10/11	- -	- -	WF12		
	Parabolic 13' #8/9	500 550	460 520	#8 #9	#8 #9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	- -	- -	WF10		
	Parabolic 14' #9/10	575 625	460 520	- -	#9 #10	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	- -	- -	WF10		
	Parabolic 15' #9/10	625 675	520 580	- -	#9 #10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	- -	- -	WF11		
	Parabolic 16' #10/11	700 750	580 640	- -	#10 #11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF12		
Cabelas	LST12489/4	550 600	460 520	#8 #9	#8 #9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	- -	- -	WF10		
	LST13089/4	550 600	520 580	#8 #9	#8 #9	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	- -	- -	WF11		
	LST140910/4	650 700	580 640	- -	#9 #10	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF12		
CND	Expert 13' # 6/7	425 475	360 400	- -	#7 #8	6/7 7/8	6/7 7/8	6/7 7/8	6/7 7/8	- -	7/8 8/9	- -	- -	WF8		
	Expert 13' # 7/8	500 550	435 450	- -	#7 #8	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	- -	- -	WF9		
	Expert 13' # 8/9	550 600	450 510	- -	#8 #9	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	- -	- -	WF10		
	Expert 14' # 9/10	625 675	510 540	- -	#9 #10	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF11		
	Expert 15' # 10/11	700 750	580 640	- -	#10 #11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF12		
	Solstice 13' 4" # 6/7	425 475	390 420	- -	#7 #8	6/7 7/8	6/7 7/8	6/7 7/8	6/7 7/8	- -	7/8 8/9	- -	- -	WF9		
	Solstice 14' 3" # 7/8	500 550	435 480	- -	#7 #8	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	- -	- -	WF10		
	Solstice 15' 2" # 8/9	600 650	510 540	- -	#8 #9	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	- -	- -	WF11		
	Solstice 16' 1" # 9/10	650 700	580 60	- -	#9 #10	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF12		
	Sp. 13' 3" #8/9	550 600	510 540	- -	#8 #9	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	- -	- -	WF10		
	Sp. 13' 8" #9	550 600	510 540	- -	#8 #9	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	- -	- -	WF11		
	Sp. 14' 4" #8/9/10	625 675	510 540	- -	#9 #10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	- -	- -	WF11		
	Sp. 15' 6" #9/10/11	700 750	580 640	- -	#10 #11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF12		
	Sp. 16' 7" #10/11/12	700 750	580 640	- -	#10 #11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF12		
	Oceana 11' 1" 9/10	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	WF11		
	Oceana 11' 1" 11/12	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	WF12		
	Tracker 9' 8" 6/7	425 475	420 435	#6 #7	- -	- -	- -	- -	- -	- -	- -	#6 #7	5/6 6/7	WF9		
	Tracker 12' 2" 5/6	350 400	300 360	#5 #6	- -	5/6 6/7	- -	- -	- -	- -	- -	- -	- -	WF8		
	BS 12' 6" #5/6/7	400 450	360 390	#6 #7	- -	5/6 6/7	- -	6/7 7/8	- -	6/7 7/8	- -	- -	- -	WF7		
	BS 13' #6/7/8	500 550	435 480	- -	#7 #8	6/7 7/8	6/7 7/8	6/7 7/8	- -	7/8 8/9	- -	- -	- -	WF8		
BS 13' 6" #7/8/9	550 600	510 540	- -	#7 #8	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	7/8 8/9	- -	- -	WF9			
BS 14' #8/9/10	600 650	510 540	- -	#8 #9	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	- -	- -	WF10			
BS 15' #9/10/11	650 700	580 640	- -	#9 #10	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF11			
Daiwa	AMSF 14109-4E	600 650	520 580	- -	#8 #9	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	- -	- -	WF10		
	AMSF 15011-4E	700 750	580 640	- -	#10 #11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF11		
	AMSF 15210-4E	675 725	580 640	- -	#9 #10	10/11 10/11	10/11 10/11	10/11 10/11	10/11 10/11	10/11 10/11	10/11 10/11	- -	- -	WF12		
	LMZF14010-3E	675 725	520 580	- -	#9 #10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	8/9 9/10	- -	- -	WF10		
	LMZF15010-3E	675 725	580 640	- -	#9 #10	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF11		
	LMZF15011-3E	725 750	580 640	- -	#10 #11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	9/10 10/11	- -	- -	WF11		

Manufacturer	Model	Skagit		RIO		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		UniSpey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch OutBound		
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	(Short)
Daiwa	LMXF12608-3E	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
	LMXF13609-4E	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10		
	LMXF14610-4E	675	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11		
	LMXF15611-4E	725	750	580	640	-	-	#10	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12		
	EX1209-3	550	600	480	510	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	EX1310-3	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	EX1410-3	625	675	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11		
	EX1511-3	700	750	640	-	-	-	#11	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	WF1209-3	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	WF13010-3	675	725	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10		
	WF1410-3	675	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11		
	WF1511-3	725	750	580	640	-	-	#10	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12		
Echo	Classic 12' 6" 6/7	400	450	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF8		
	Classic 13' 7/8	525	575	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9		
	Classic 13' 6" 8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	Classic 14 9/10	675	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	Dec Hogan 4119-4	250	300	240	270	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF5		
	Dec Hogan 5122-4	300	350	270	300	#5	#6	-	-	-	5/6	-	-	-	-	#5	#6	4/5	5/6	WF6		
	Dec Hogan 6126-4	400	450	330	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF7		
	Dec Hogan 7130-4	475	525	400	460	-	-	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8		
	Dec Hogan 8133-4	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
	Dec Hogan 8150-4	525	575	520	520	-	-	#7	#8	7/8	8/9	8/9	8/9	8/9	8/9	-	-	-	-	WF9		
	Dec Hogan 9136-4	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10		
	Solo 6126	400	450	360	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8		
	Solo 7129	475	525	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	-	-	-	-	WF9		
	Solo 8130	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	TR 15' #10	675	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	Scandinavian 12' 4" #7	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9		
Scandinavian 12' 4" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10			
Scandinavian 12' 6" #9	625	675	520	580	#9	-	#9	#10	8/9	8/9	8/9	9/10	8/9	9/10	-	-	-	-	WF11			
Elk Horn	1156-4	450	500	360	400	#5	#6	-	-	5/6	6/7	-	6/7	-	6/7	#5	#6	4/5	5/6	WF8		
	1267-6	500	550	400	460	#6	#7	-	#7	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9		
	1489-6	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
Greys	Missionary 6 13' #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	Missionary 6 15' #10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	X Flite 13' #8	500	550	460	520	-	-	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	X Flite 14' #9	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	X Flite 15' #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	X Flite 16' #11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	Xf2 S 12' #7	500	550	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9		
	Xf2 S 12' #9	575	625	520	580	#9	-	-	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	Xf2 S 13' #8	550	600	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	Xf2 S 14' #9	625	675	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	Xf2 S 15' #10	675	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	Xf2 T 12' #7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9		
	Xf2 T 13' #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	Xf2 T 13' #9	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10		
	Xf2 T 14' #9	650	700	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	Xf2 T 15' #10	700	750	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	G Tec 12' #8	500	550	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	G Tec 14' #9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	G Tec 15' #10	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	G Series 13' 8/9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		

Manufacturer	Model	Skagit		RIO		Scandi		Scandi		InTouch Short		InTouch Long		InTouch		InTouch		InTouch OutBound (Short)		
		"A"	"B"	"A"	"B"	Short VT		VersiTip		Head Spey		Head Spey		Chucker	Switch					
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"			
Greys	G Series 14' 8/9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	G Series 15' 10/11	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	GRXi 11' 6" #6	400	450	360	390	#6	#7	-	-	-	5/6	-	-	-	-	#5	#6	4/5	5/6	WF8
	GRXi 12' #7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	GRXi 13' #8	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	GRXi 14' #9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	GRXi 15' #10	625	675	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	GS2 12' #7	450	500	400	460	#7	#8	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	GS2 13' #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	GS2 14' #9	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	GS2 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	GS 13' #8	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
GS 15' #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
Fly Logic	Dec Hogan #7	450	500	400	460	#7	#8	-	#7	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8
	Dec Hogan #8	550	600	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	Dec Hogan #9	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
Gary Anderson	1415-6 EPS	325	375	280	310	-	-	-	-	-	5/6	-	-	-	-	-	-	-	-	WF6
	1215-4 EPS	325	375	280	310	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF6
	1195-5 LS	325	375	280	310	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7
	1316-4 LS	400	450	350	390	-	-	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF8
	1386-5 LS	400	450	350	390	-	-	-	-	-	5/6	-	-	-	-	-	-	-	-	WF8
	1237-5 LS	425	475	380	400	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	1397-4 EPS	475	525	400	450	-	-	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF8
	1238-4 EPS	500	550	450	480	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	1518-4 LS	500	550	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	1398-4 EPS	525	575	480	520	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	1368-4 LS	575	625	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	1449-5 LS	625	675	510	540	-	-	#9	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
Hardy	Salar 12' 6" #8	500	550	450	480	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	Salar 15' #10	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	Salar 16' #11	750	-	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
	Salmon Travel 11' 6" #7	400	450	350	390	#7	#8	-	-	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8
	Salmon Travel 15' #9	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
Gem 13' #9	600	650	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
Loomis	GLX - 11' 6" # 8/9	400	450	390	400	#7	#8	-	-	6/7	7/8	6/7	7/8	6/7	7/8	#8	#9	7/8	8/9	WF8
	GLX - 13' # 8/9	600	650	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	GLX - 14' # 9/10	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	GLX - 15' # 10/11	750	-	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
	GLX - 15' 6" # 11/12	750	-	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
	GL3 - 14' # 8/9	550	600	480	520	-	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	GL3 - 14' # 9/10	650	700	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	GL3 - 15' # 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	Dredger 12' 9" #6/7	450	500	400	435	#6	#7	#6	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	WF8
	Stinger 12' 6" #7/8	525	575	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Stinger 14' #9/10	700	750	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Metolius 13' 4" #5/6	400	450	350	390	#5	#6	#5	#6	-	-	-	-	-	-	-	-	-	-	WF7
	Versa Spey 12' 6" 5/6	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF8
	Versa Spey 13' 6/7	450	500	330	400	-	-	#6	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	WF9
	Versa Spey 13' 7/8	500	550	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF10
	Versa Spey 13' 6" 8/9	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11

Manufacturer	Model	Skagit		RIO		Scandi		Scandi		InTouch Short		InTouch Long		InTouch		InTouch		InTouch OutBound (Short)			
		"A"	"B"	"A"	"B"	Short VT		VersiTip		Head Spey		Head Spey		Chucker		Switch					
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"				
Loomis	Versa Spey 13' 6" 9/10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	Trilogy - 13' #7/8	500	550	450	480	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
	Trilogy - 13' #9/10	600	650	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	Trilogy - 15' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11	
Loop	Grey 9130 - 4	625	675	510	540	#9	-	#10	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Grey 10150 - 4	700	750	580	640	-	-	-	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Green 8124 - 4	575	625	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Green 9132 - 4	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Green 9140 - 4	650	700	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	Green 10150 - 4	700	750	580	640	-	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Black 8124 - 4	525	625	480	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	Black 9140 - 4	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Blue 7116 - 4	450	500	435	450	#7	#8	-	-	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	Blue 8124 - 4	525	575	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Blue 9132 - 4	575	625	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Blue 9140 - 4	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Blue 10150 - 4	675	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Yellow 8124-4	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	Yellow 9132-4	475	525	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Yellow 9140-4	525	575	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	Evotec 11' 6" #7	425	475	400	435	#7	#8	-	-	6/7	7/8	6/7	7/8	6/7	7/8	#7	#8	6/7	7/8	WF9	
	Opti 12' 4" #8	525	575	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Opti 13' 2" #9	600	650	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	LTS X1 12' 6" #8	500	550	435	480	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF10	
	LTS X1 13' 6" #9	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11	
	LTS X1 14' 6" #10	625	675	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	LTS X1 15' 6" #11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	LTS Slingshot 13' 2" #9	575	625	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	LTS Slingshot 14' #9	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	LTS Slingshot 15' #10	650	700	540	580	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Classic 13' #9	600	650	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11	
	Classic 14' #9	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
Classic 15' #10	650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Orvis	Silver Label 1267-3	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8	
	Silver Label 1268-3	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8	
	Silver Label 1490-4	500	550	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
	Silver Label 1510-4	550	600	480	520	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	Streamline 14' 9/10	650	700	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Helios Switch 11' #5	325	375	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF7	
	Helios Switch 11' #6	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF8	
	Helios Switch 11' #7	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9	
	Helios Switch 11' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF10	
	Helios 13' #7	450	500	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Helios 13' 6" #8	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Helios 14' #9	600	650	520	580	-	-	#10	#11	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Helios 15' #10	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Helios 2 13' 6" #8	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Helios 2 14' #9	600	650	520	580	-	-	#10	#11	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Helios 2 15' #10	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Shooting Star 13' #7	425	475	400	460	#6	#7	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Shooting Star 13' 6" #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Shooting Star 14' #9	575	625	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Shooting Star 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	

Manufacturer	Model	Skagit		RIO		Scandi		Scandi		InTouch Short		UniSpey		InTouch Long		InTouch		InTouch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	Short VT	VersiTip	Head Spey	"A"	"B"	Head Spey	"A"	"B"	"A"	"B"	"A"	"B"	
Orvis	Streamline 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Trident 1267-3	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8
	Trident 1268-3	500	550	450	480	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	Trident 1490-4	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	Trident 1510-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
RainShadow	IF 1266-4	400	450	350	390	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF7
	IF1307-4	425	475	390	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF7
	IF1368-4	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	IF1409-4	575	625	480	520	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
Redington	DFR 12' 6" # 7	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8
	DFR 13' # 8	500	550	435	450	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	DFR 14' # 9	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	DFR 15' # 10	700	750	640	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	DHRF 12' 6" # 7/8	450	500	400	435	#8	#9	#8	#9	6/7	7/8	6/7	7/8	7/8	8/9	-	-	-	-	WF9
	DHRF 13' # 8/9	550	600	510	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	DHRF 14' # 9/10	650	700	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	DHRF 15' # 10/11	750	-	640	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Prospector Switch 4109-4	275	325	240	270	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF5
	Prospector Switch 5110-4	275	325	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6
	Prospector Switch 6110-4	325	375	300	360	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF7
	Prospector Switch 7113-4	375	425	360	390	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF8
	Prospector Switch 8119-4	475	525	435	450	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF9
	Prospector 6126-4	425	475	360	390	#5	#6	#5	#6	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	Prospector 7130-4	475	525	400	460	#7	#8	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Prospector 8136-4	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	RS4 7133	450	500	400	435	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF10
	RS4 8140	500	550	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	RS4 9149	600	650	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF12
	CPX Switch 5106	275	325	280	310	#5	#6	-	-	-	5/6	-	-	-	-	#5	#6	4/5	5/6	WF7
	CPX Switch 6106	325	375	310	350	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF8
	CPX Switch 7113	375	425	350	390	#7	#8	-	-	-	-	6/7	7/8	-	-	#7	#8	6/7	7/8	WF9
	CPX Switch 8113	475	525	450	510	#8	#9	-	-	-	-	7/8	8/9	-	-	#8	#9	7/8	8/9	WF10
	CPX 6126	375	425	350	390	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	CPX 7129	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	6/7	-	-	-	-	WF9
	CPX 8133	500	550	480	510	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	7/8	-	-	-	-	WF10
	CPX 9139	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	8/9	-	-	-	-	WF12
	Redfly 2 13084	550	600	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Redfly 2 14094	625	675	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Redfly 2 150104	700	750	580	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
RS3 13#7	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8	
RS3 14' #8	500	550	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
RS3 14' 9" #9	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
St. Croix	13' # 7/8	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8
	14' # 9/10	550	600	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	15' # 10/11	650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	A1378.3	475	525	435	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	A14910.3	600	650	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
A151011.3	675	700	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	

Manufacturer	Model	Skagit		RIO		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		UniSpey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch OutBound		
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	(Short)
Sage	VPS 9140-4	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
	5120-4	400	450	350	390	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF6		
	Fli 8140-4	600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10		
	VT2 7130-4	525	575	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	VT2 8139-4	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11		
	VT2 9144-4	625	675	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12		
	9140-3	625	675	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12		
	European 6126-3	425	475	390	400	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8		
	European 8126-3	550	600	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
	European 7141-4	600	650	520	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
	European 9141-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11		
	European 10151-4	750	-	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12		
	European 10161-4	750	-	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12		
	TCR 8123 - 4	650	700	540	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	TCR 9129 - 4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	TCR 9140 - 4	700	750	640	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	TCR 10150 - 4	750	-	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF13		
	TCX 5119-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6		
	TCX 6119-4	375	425	390	420	#6	#7	-	-	-	5/6	-	-	-	-	#6	#7	5/6	6/7	WF7		
	TCX 7119-4	425	475	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8		
	TCX 8119-4	525	575	435	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#9	7/8	8/9	WF9		
	TCX 7126-4	525	575	460	520	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9		
	TCX 9140-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	Traditional 7136-4	450	500	400	435	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF7		
	Traditional 8136-4	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
	Traditional 9140-4	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF9		
	Traditional 9150-4	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10		
	VXP 5120-4	325	375	300	330	#5	#6	-	-	5/6	6/7	-	-	-	-	-	-	-	-	WF7		
	VXP 6129-4	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	-	-	-	-	-	WF9		
	VXP 7133-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9		
	VXP 8136-4	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	Z-Axis 5110-4	275	325	280	310	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6		
	Z-Axis 6110-4	325	375	310	350	#6	#7	-	-	-	-	6/7	-	-	-	#6	#7	5/6	6/7	WF7		
	Z-Axis 7110-4	375	425	350	390	#7	#8	-	-	-	-	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8		
	Z-Axis 8110-4	475	525	450	510	#8	#9	-	-	-	-	7/8	8/9	-	-	#8	#9	7/8	8/9	WF10		
	Z-Axis 5126-4	350	400	310	350	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7		
	Z-Axis 6126-4	375	425	350	390	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF8		
	Z-Axis 7136-4	450	500	400	435	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9		
	Z-Axis 8129-4	500	550	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	Z-Axis 8134-4	500	550	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	Z-Axis 9143-4	575	625	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	Z-Axis 10150-4	650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	Z-Axis 10160-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Scott	ARC 11' 9" # 6	400	450	350	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#5	#6	4/5	5/6	WF7		
	ARC 12' 8" # 7	450	500	390	400	#6	#7	-	#7	6/7	6/7	6/7	6/7	-	6/7	-	-	-	-	WF8		
	ARC 13' # 8	500	550	450	480	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8		
	ARC 14' # 9	550	600	480	510	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
	ARC 15' # 9	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
	ARC 16' # 10	650	700	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10		
	A3 1308	500	550	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	A31409	625	675	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	A31510	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	LS2 1206-4	350	400	310	350	#6	#7	-	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	WF8		
	LS2 1307/4	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9		

Manufacturer	Model	Skagit		RIO		Scandi		Scandi		InTouch Short		InTouch Long		InTouch		InTouch		InTouch OutBound (Short)			
		"A"	"B"	"A"	"B"	Short VT	"A"	"B"	VersiTip	"A"	"B"	Head Spey	"A"	"B"	Head Spey	Chucker	Switch				
Scott	LS2 1408/4	550	600	480	520	-	-	#8	#9	8/9	9/10	8/9	9/10	7/8	8/9	-	-	-	WF10		
	LS2 1509/4	600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	WF11		
	LS2 1610/4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	WF12		
	T2H 1085	275	325	280	310	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF7	
	T2H 1088	425	475	400	450	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF9	
	T2H 1256	350	400	310	350	#6	#7	-	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	WF8	
	T2H 1258	500	550	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	T2H 1357	450	500	400	450	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	T2H 1409	550	600	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	T2H 1458	500	550	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	T2H 1509	575	625	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	T2H 1510	650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	T2H 1610	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	SAS 13' # 8	550	600	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	SAS 14' # 9	650	700	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
SAS 15' # 10	750	-	640	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Thomas & Thomas	1107	425	475	390	400	#7	#8	-	-	6/7	7/8	-	-	-	-	#7	#8	6/7	7/8	WF9	
	1206 - 3	375	425	350	390	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF8	
	1208 - 3	500	550	450	480	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	1208 - 4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	1266 - 4	375	425	350	390	#6	#7	-	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	WF8	
	1307 - 3	500	550	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	1308 - 4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	1309 - 4	575	625	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	1409 - 3	600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	1509 - 3	600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	1510 - 3	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	1511 - 6	700	750	640	640	-	-	#11	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	1611 - 3	700	750	640	640	-	-	#11	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	1611 - 6	700	750	640	640	-	-	#11	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	1212 - 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF12
	1309 - 3	600	650	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	1409 - 5	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	1410 - 3	650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	1510 - 5	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	1511 - 3	750	750	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF13	
	1711 - 4	750	750	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF14	
	DNA Switch 1004-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF5	
	DNA Switch 1008-4	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#9	7/8	8/9	WF9	
	SW1006 - 4	325	375	300	360	#6	#7	-	-	-	-	-	-	-	-	#5	#6	5/6	6/7	WF8	
	SW1007 - 4	425	475	420	435	#7	#8	-	-	-	-	-	-	-	-	#6	#7	6/7	7/8	WF9	
SW1008 - 4	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#7	#8	7/8	8/9	WF10		
SW1009 - 4	575	625	510	540	#9	-	-	-	-	-	-	-	-	-	#8	#9	8/9	-	WF11		
Winston	LT 712-4	400	450	390	400	#7	#8	#7	#8	6/7	6/7	6/7	6/7	6/7	7/8	-	-	-	-	WF8	
	LT813-4	450	500	435	450	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
	LT914-4	650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11	
	LT1015-4	600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	BlIx 11' # 7	400	450	360	390	#6	#7	-	-	-	-	-	-	-	-	#5	#6	5/6	6/7	WF8	
	BlIx 12' 6" # 6/7	425	475	360	400	#6	#7	-	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	WF9	
	BlIx 13' # 8/9	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11	
	BlIx 13' 3" # 7/8	475	525	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	BlIx 14' # 8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	BlIx 15' # 9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	BlI-MX11' 6" # 6/7	375	425	360	400	#6	#7	-	-	-	6/7	-	6/7	-	6/7	#6	#7	5/6	6/7	WF8	

Manufacturer	Model	Skagit		RIO		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		UniSpey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Winston	BII-MX12' 3" # 7/8	500	550	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	VSL 12' 6" # 6/7	425	475	360	390	#6	#7	#6	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF9
	VSL 14' # 8/9	525	575	480	510	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Derek Brown 7/8	550	600	520	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	Derek Brown 8/9	600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	Derek Brown 9/10	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	Derek Brown 10/11	750	750	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
	Vapor 12' 6" # 6/7	400	450	390	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF8
	Vapor 14' # 8/9	550	600	520	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	VSL 12' 6" # 6/7	425	475	360	390	#6	#7	#6	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF9
	VSL 14' # 8/9	525	575	480	510	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11

Zpey	Switch FW 906	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF8	
	Switch FW 1006	375	425	360	390	#6	#7	-	-	-	-	-	-	-	-	-	#5	#6	5/6	6/7	WF8
	Switch FW 1007	425	475	390	420	#7	#8	-	-	-	-	-	-	-	-	-	#6	#7	6/7	7/8	WF9
	Switch FW 1008	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	-	#7	#8	7/8	8/9	WF10
	Switch FW 1107	425	475	420	435	#7	#8	-	-	-	-	-	-	-	-	-	#6	#7	6/7	7/8	WF9
	Switch FW 1109	575	625	510	540	#9	-	-	-	-	-	-	-	-	-	-	#7	#8	7/8	8/9	WF11
	Instinct 12' 7/8	325	375	300	360	#5	#6	-	-	5/6	6/7	-	-	-	-	-	-	-	-	WF8	
	Instinct 12' 8/9	375	425	360	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8	
	Instinct 13' 3" 8/9	475	525	400	460	#6	#7	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Instinct 13' 7" 9/10	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Instinct 14' 6" 9/10	550	600	520	580	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Instinct 15' 10/11	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	First Edition 12' 3" #8	525	575	480	510	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	First Edition 13' 3" #9	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	First Edition 14' 3" #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	First Edition 15' 10/11	700	750	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	First Edition 16' #11	700	750	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	

Each rod has been rated for two different line designations. The 'A' rating is for casters that like to feel a "faster" action rod and the 'B' rating is for those that prefer a rod to bend deeper and feel the load. The 'B' rating is also a good choice when casting large flies, or coping with a windy day.