

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Bruce & Walker	Powerlite 11' 3" # 7-9	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	#8	#9	7/8	8/9	WF10
	Powerlite 12' 4" # 8-9	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Powerlite 13' # 8-10	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Powerlite 14' # 9-10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Powerlite 14' # 7-10	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Powerlite 15' # 7-9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Powerlite 15' # 10	600	650	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite 15' # 11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite 16' # 9-10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite 16' # 11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite 18' # 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite 18' # 11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite Deluxe 13' #9	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Powerlite Deluxe 14' #9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Powerlite Deluxe 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite Deluxe 16' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Kola 15' 3" 9-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Kola 16' 3" #10-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 12' 7-9 - 3 piece	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Norway II 13' #9 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 14' #9 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 15' 9-10 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 15' 10-11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 16' 9-10 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 16' #11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 17' #11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 18' #11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 12' 7-9 - 4 piece	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Norway II 13' #9 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 14' #9 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 15' 9-10 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 15' 10-11 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 16' 9-10 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 16' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 17' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 18' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 20' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Double Spey 13' #8-10	575	625	460	520	#8	#9	#9	#10	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Double Spey 14' #9-10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Double Spey 16' #10-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Shooting Head 14' 37 grams	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Shooting Head 12' 4" 30 grams	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Walker 13' 6" #8	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Walker 14' 6" 9-10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Walker 15' 6" 10-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Walker 16' 6" 9-10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11

Manufacturer	Model	Skagit		RIO		Scandi		Scandi		InTouch Short		InTouch Mid		InTouch Long		InTouch Switch		InTouch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	Short VT	VersiTip	Head Spey	Head Spey	Head Spey	Chucker	Switch	"A"	"B"	"A"	"B"	"A"	"B"		
Bob Meiser	S2H1264S-4	250	275	240	270	#4	#5	-	-	-	-	-	-	-	-	-	-	-	-	WF6
	S2H1265S-4	325	350	300	360	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	S2H1266S-4	375	425	360	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H1267S-4	450	500	435	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1306S-4	375	425	360	390	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H1307S-4	425	475	435	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1308S-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1367S-4	450	500	420	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1368S-4	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1407S-4	450	500	420	460	-	-	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1408S-4	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1409S-4	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H1507S-4	450	500	420	460	-	-	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1508S-4	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H15011S-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H1608S-4	550	600	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H16011S-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H1396S-5	400	450	360	420	-	-	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H1397S-5	450	500	420	460	-	-	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1398S-5	525	575	520	540	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1399S-5	600	650	510	540	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H12656MKS-4	375	425	360	390	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7
	S2H12678MKS-4	500	550	480	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13067MKS-4	425	475	330	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H13078MKS-4	525	575	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13678MKS-4	525	575	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13689MKS-4	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H136910MKS-4	650	700	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H14067MKS-4	400	450	360	400	-	-	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H14078MKS-4	500	550	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H140910MKS-4	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H15089MKS-4	550	625	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H150910MKS-4	650	725	540	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H11757C-4	425	475	390	420	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF8
	S2H12635C-4	200	240	210	240	#4	#5	-	-	-	-	-	-	-	-	-	-	-	-	WF6
	S2H12646C-4	325	350	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7
	S2H12657C-4	425	475	400	435	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H12668C-4	500	550	450	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13057C-4	450	500	450	480	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H13068C-4	525	575	510	540	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13079C-4	550	600	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H136FES79-4	575	625	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H14068C-4	500	550	480	510	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H140EVE79-4	550	600	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H140911C-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H15068C-4	500	550	480	510	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9

Manufacturer	Model	Skagit		RIO		Scandi		Scandi		InTouch Short		InTouch Mid		InTouch Long		InTouch Switch		InTouch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
	S2H15079C-4	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H150911C-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H15946C-4	275	325	270	300	-	-	-	#7	-	-	-	-	-	-	-	-	-	-	WF7
	S2H16079C-4	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H160911C-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H10635-4	250	300	240	270	#4	#5	-	-	-	-	-	-	-	-	#5	#5	-	4/5	WF6
	S2H11045-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#5	#5	-	4/5	WF6
	S2H11056-4	375	425	300	390	#5	#6	-	-	-	-	-	-	-	-	#6	#6	4/5	5/6	WF7
	S2H11067-4	425	475	420	435	#6	#7	-	-	-	-	-	-	-	-	#7	#7	5/6	6/7	WF8
	S2H11078-4	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#8	#8	6/7	7/8	WF9
	S2H11089-4	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#9	#9	7/8	8/9	WF10
	S2H110910-4	625	675	510	540	#9	-	-	-	-	-	-	-	-	-	-	-	8/9	-	WF11
	S2H90967-3	425	475	390	420	#6	#7	-	-	-	-	-	-	-	-	#7	#7	5/6	6/7	WF8
	S2H90978-3	525	575	510	540	#7	#8	-	-	-	-	-	-	-	-	#8	#8	6/7	7/8	WF9
	S2H909910-3	575	625	510	540	#9	-	-	-	-	-	-	-	-	-	-	-	-	-	WF11
Burkheimer	CF7125-3	425	475	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	CF7133-3	500	550	435	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	CF8133-3	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	CF8139-3	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	CF9143-3	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	CF9149-3	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	CF10130-3	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	CF10150-3	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	CF7115-4	450	500	435	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	#7	#7	6/7	7/8	WF8
	CF7127-4	450	500	435	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8
	CF7134-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8
	CF7141-4	450	500	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8
	CF8115-4	475	525	450	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	#8	#8	7/8	8/9	WF9
	CF8128-4	500	550	450	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	CF8134-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	CF8142-4	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	CF9119-4	575	625	510	540	#9	-	-	-	8/9	9/10	8/9	9/10	8/9	9/10	#9	#9	7/8	8/9	WF10
	CF9129-4	575	625	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	CF9135-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	CF9145-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	CF10129-4	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	CF10153-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	CF10155-4	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	CF11155-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Cabelas	Lsi 1065-4	275	325	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6
	Lsi 1136-4	325	375	300	360	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF7
	Lsi 1107-4	425	475	420	435	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Lsi 1267-4	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Lsi 1168-4	475	525	450	480	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10
	Lsi 1248-4	525	575	480	540	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Lsi 1308-4	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Lsi 1409-4	600	650	520	580	#9	-	#9	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Traditional II 1308-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Traditional II 1409-4	575	625	520	580	#9	-	#9	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11

Manufacturer	Model	Skagit		RIO		Scandi		Scandi		InTouch Short		InTouch Mid		InTouch Long		InTouch Switch		InTouch		InTouch OutBound (Short)	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"		
						Short VT	VersiTip	Head Spey	Head Spey	Head Spey	Chucker	Switch									
Echo	TR 12' #4	275	325	240	270	-	#4	-	-	-	-	-	-	-	-	-	-	-	4/5	WF6	
	TR 12' #5	325	375	270	300	#4	#5	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7	
	TR 12' 6" #6	375	425	360	390	#5	#6	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8	
	TR 13' #7	475	525	435	480	-	-	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	TR13' 6" #8	525	575	510	540	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	TR 14' #9	600	650	510	540	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	E3 SR 6110	400	450	360	390	#6	#7	-	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	E3 SR 7110	450	500	390	420	#7	#8	-	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	E3 SR 8110	500	550	435	480	#8	#9	-	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10
	E3 TH 6127	400	450	390	420	#6	#7	-	-	-	-	-	6/7	-	-	-	-	-	-	-	WF8
	E3 TH 7130	475	525	420	480	-	-	#7	#8	6/7	7/8	6/7	7/8	-	-	-	-	-	-	-	WF9
	E3 TH 8134	550	575	480	510	-	-	#8	#9	7/8	8/9	7/8	8/9	-	-	-	-	-	-	-	WF10
	King 9130	650	700	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11
	King 10130	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12
	Switch 10' 6" #3	225	275	210	240	-	#4	-	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	Switch 10' 6" #4	250	300	240	270	#4	#5	-	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF6
	Switch 10' 8" #5	275	325	240	270	#5	#6	-	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	Switch 10' 10" #6	375	425	300	390	#6	#7	-	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Switch 10' 10" #7	425	475	420	435	#7	#8	-	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Switch 10' 10" #8	525	575	480	540	#8	#9	-	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10
	Classic 10' 9" #5	300	350	270	300	#5	#6	-	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	Classic 11' #6	350	400	300	360	#5	#6	-	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Classic 11' #7	425	475	360	390	#6	#7	-	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Classic 11' #8	475	525	420	435	#7	#8	-	-	-	-	-	-	-	-	-	#8	#8	6/7	7/8	WF10
	Classic 12' 6" #6	400	450	360	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF8
	Classic 12' 9" #7	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
Classic 13' #8	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	

Gary Anderson	ACR Trout 1193-5	225	250	210	240	-	#4	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5	
	ACR Trout 1194-4	250	300	240	270	-	#4	-	-	-	-	-	-	-	-	#4	#4	-	-	WF6	
	ACR Trout 1214-4	250	300	240	270	-	#4	-	-	-	-	-	-	-	-	-	-	-	4/5	WF6	
	ACR Trout 1195-5	300	350	270	300	#4	#5	-	-	-	-	-	-	-	-	#5	#5	4/5	4/5	WF7	
	ACR Trout 1255-4	300	350	270	300	#4	#5	-	-	-	5/6	-	-	-	-	-	-	-	4/5	5/6	WF7
	ACR Switch 11' #5	300	350	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7	
	ACR Switch 11' #6	350	400	300	360	#5	#6	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8	
	ACR Switch 11' #7	425	475	360	390	#6	#7	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9	
	ACR Switch 11' #8	475	525	420	435	#7	#8	-	-	-	-	-	-	-	-	#8	#8	6/7	7/8	WF10	
	ACR Switch 11' #9	525	575	460	520	#8	#9	-	-	-	-	-	-	-	-	#9	#9	7/8	8/9	WF11	
	Explorer 1266-4	375	425	360	390	#5	#6	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF8
	Explorer 1317-4	475	525	420	435	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	Explorer 1368-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
	ACR 1255-4	325	375	270	300	#4	#5	-	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	ACR 1555-4	325	375	270	300	-	-	-	-	-	5/6	-	-	-	-	-	-	-	-	-	WF7
	ACR 1296-4	375	425	300	360	#5	#6	-	-	5/6	6/7	-	-	-	-	-	-	-	-	-	WF8
	ACR 1386-4	500	550	480	510	-	-	#7	#8	5/6	6/7	-	-	-	-	-	-	-	-	-	WF8
	ACR 1297-4	450	500	420	435	#6	#7	-	-	6/7	7/8	-	6/7	-	-	-	-	-	-	-	WF9
	ACR 1237-5	475	525	420	435	#6	#7	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	ACR 1337-4	450	500	420	435	-	-	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	ACR1338-4	525	575	510	540	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Gary Anderson	ACR1398-4	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACR1418-4	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACR1449-4	575	625	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
Greys	XF2 12' #7	475	525	450	480	#7	#8	-	-	6/7	7/8	-	-	-	-	-	-	-	-	WF9
	XF2 12' #9	600	650	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	XF2 13' #8	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	XF2 14' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	XF2 15' #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	XF2 T 12' #7	475	525	450	480	#7	#8	-	-	6/7	7/8	-	-	-	-	-	-	-	-	WF9
	XF2 T 13' #8	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	XF2 T 14' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	XF2 T 15' #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	XF2 T 16' #11	700	750	640	640	-	-	#10	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	
	GR50 13' 8/9	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	GR50 14' 9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
GR50 15' 10/11	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
Guideline	LPXe Switch 11' 6/7	450	500	390	435	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF8
	LPXe Switch 11' 7/8	475	525	435	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9
	LPXe Switch 11' 8/9	550	600	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF10
	ACT 4 12' 6" 8/9	525	575	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACT 4 13' 7" 9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	ACT 4 14' 8" 10/11	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	LPXe 12' 6" 7/8	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	LPXe 12' 6" 8/9	550	575	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	LPXe 13' 8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	LPXe 14' 9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	LPXe 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Le Cie 12' 6" 6/7 - 7/8	675	525	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Le Cie 12' 6" 8/9 - 9/10	525	575	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Le Cie 13' 2" 9/10	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Le Cie 13' 7" 7/8	500	550	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Le Cie 13' 7" 8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Le Cie 13' 7" 9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Le Cie 13' 7" 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Le Cie 14' 8" 8/9	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Le Cie 14' 8" 9/10	650	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Le Cie 14' 8" 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound		
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	(Short)
Hardy	Zephrus DH 11' 6" #6/7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9	
	Zephrus DH 12' 6" #6/7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9	
	Zephrus DH 12' 6" #7/8	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	-	
	Zephrus DH 13' 6" #7/8	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	-	
	Zephrus DH 13' 6" #8/9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	-	WF11
	Zephrus DH 14' 6" #9/10	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	-	WF11
	Zephrus DH 15' 1" #10/11	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	-	WF12
	Demon Smuggler 14' 6" #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	-	WF12
	Jet Switch 10' 6" #4/5	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	-	-	WF6
	Jet Switch 10' 6" #5/6	375	425	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#5	#6	5/6	6/7	-	-	WF7
	Jet Switch 10' 6" #6/7	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#6	#7	6/7	7/8	-	-	WF8
	Jet Switch 11' #6/7	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#6	#7	6/7	7/8	-	-	WF8
	Jet Switch 11' #7/8	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#7	#8	7/8	8/9	-	-	WF9
	Jet Switch 11' #8/9	600	650	510	540	#9	-	-	-	8/9	9/10	-	-	-	-	#8	#9	8/9	-	-	-	WF10
	Jet 13 #8/9	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	-	WF11
Jet 14 #9/10	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	-	WF11	
Jet 15 #10/11	600	650	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	-	WF12	
Loomis	Gr. Ln. 14' #8/9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	-	WF11
	Gr. Ln. 15' #7/8	475	525	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	-	WF10
	Gr. Ln. 15' #8/9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	-	WF11
	Gr. Ln. 15' #9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	-	WF12
	Gr. Ln. 16' #9/10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	-	WF12
	Gr. Ln. 15' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	-	WF12
	Gr. Ln. 17' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	-	WF12
	Dredger 13' 4" #7/8	450	500	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	-	WF9
	Dredger 13' 9" #8/9	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	-	WF10
	Dredger 14' #9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	-	WF11
	Stinger 12' 6" 450gr	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	-	WF9
	Stinger 13' 500gr	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	-	WF10
	Stinger 13' 6" 550gr	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	-	WF11
	Stinger 15' 1" 700gr	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	-	WF12
	NRX Switch 12' 6wt	400	425	330	360	#6	#7	-	-	5/6	6/7	-	-	-	-	#6	#6	5/6	6/7	-	-	WF8
	NRX Scandi 12'6" 9/10	650	700	510	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	-	WF12
	NRX 14' 6/7	475	500	400	450	-	-	-	#7	6/7	7/8	-	6/7	-	-	-	-	-	-	-	-	WF8
	NRX 13'7/8	525	575	435	450	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	-	WF9
	NRX 13' 8/9	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	-	WF10
	NRX 14' 8/9	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	-	WF10
	NRX 14' 9/10	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	-	WF11
	NRX 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	-	WF12
	PRO4X Switch 10'6" 5wt	350	375	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	-	-	4/5	-	WF7
	PRO4X Switch 11' 7wt	425	450	360	390	#7	#8	-	-	-	-	-	-	-	-	#7	#7	5/6	6/7	-	-	WF9
	PRO4X Switch 11'6" 9wt	525	550	450	480	#9	-	-	-	-	-	-	-	-	-	#9	#9	8/9	-	-	-	WF11
	PRO4X 13' 7/8	525	550	435	450	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	-	WF9
	PRO4X 13' 8/9	575	600	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	-	WF10
	PRO4X 14' 9/10	600	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	-	WF11
	PRO4X 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	-	WF12
	GLX Switch 11' #5	325	375	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	-	-	4/5	-	WF7
	GLX Switch 11' #7	450	500	420	450	#7	#8	-	-	-	-	-	-	-	-	#7	#7	5/6	6/7	-	-	WF9
	GLX Switch 11' #8	500	550	450	510	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	-	-	WF10

Manufacturer	Model	Skagit		RIO		Scandi		Scandi		InTouch Short		InTouch Mid		InTouch Long		InTouch Switch		InTouch		InTouch
		"A"	"B"	"A"	"B"	"A"	"B"	Short VT	VersiTip	Head Spey	Head Spey	Head Spey	Head Spey	Head Spey	Head Spey	Chucker	Switch	Switch	OutBound	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	(Short)
Loop	Cross S1 6107-4	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Cross S1 7107-4	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Cross S1 7120-4	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	6/7	7/8	WF9
	Cross S1 8130-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Cross S1 9140-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Cross S1 10150-6	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Cross ST 6122-6	425	450	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	5/6	6/7	WF8
	Cross ST 7122-6	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	6/7	7/8	WF9
	Cross ST 8132-6	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Cross ST 9136-6	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Cross ST 6110-5	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Cross ST 7110-5	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Cross SX 7124-4	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Cross SX 8132-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Cross SX 9140-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Cast 6120-4M	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	-	-	-	-	WF8
	Cast 7122-4M	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Cast 5110-4MF	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	#5	#5	4/5	5/6	WF7
	Cast 6110-4MF	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Cast 7110-4MF	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Cast 6120-4MF	425	450	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	5/6	6/7	WF8
	Cast 7122-4MF	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Cast 8132-4MF	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Cast 9140-4MF	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Cast 9140-4F	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Cast 10150-4F	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Opti NXT 6120-4MF	425	450	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	Opti NXT 7124-4MF	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Opti NXT 8130-4MF	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Opti NXT 9132-4MF	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Opti NXT 9140-4MF	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Opti NXT 10150-4MF	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Opti NXT 5110-4MF	375	425	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7	
Opti NXT 7110-4MF	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9	
Orvis	Clearwater Switch 11' #6	425	450	390	420	#6	#7	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8	
	Clearwater Switch 11' #7	475	525	450	480	#7	#8	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9	
	Clearwater Switch 11' 9" #7	475	525	450	480	#7	#8	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9	
	Clearwater Switch 11' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10	
	Clearwater Switch 12' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10	
	Clearwater 12' #5	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7
	Clearwater 12' 6" #6	400	450	360	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	Clearwater 13' #7	475	525	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Clearwater 13' 6" #8	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Clearwater 14' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Helios 2 Switch 11' #5	325	375	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	Helios 2 Switch 11' #6	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Helios 2 Switch 11' #7	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Helios 2 Switch 11' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10
	Helios 2 Switch 11' #9	550	600	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	#9	#9	-	-	WF10

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"
Redington	Chromer Switch 6116-4	325	375	300	360	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF7	
	Chromer Switch 7116-4	450	500	390	435	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF8	
	Chromer Switch 8116-4	475	525	435	450	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF9	
	Chromer 6126-4	425	475	360	390	#5	#6	#5	#6	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF8
	Chromer 7126-4	475	525	400	460	#7	#8	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	Chromer 8126-4	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
	Chromer 7136-4	475	525	400	460	#7	#8	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	Chromer 8136-4	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
	Hydrogen Trout Spey 2110-4	200	250	180	210	-	-	-	-	-	-	-	-	-	-	#2	#2	-	-	-	-
	Hydrogen Trout Spey 3113-4	250	300	240	270	-	-	-	-	-	-	-	-	-	-	#3	#3	-	-	-	WF5
	Hydrogen Trout Spey 4116-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	-	4/5	WF5
	Dually 4109-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	-	4/5	WF5
	Dually 5110-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	-	WF6
	Dually 6110-4	375	425	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	-	WF7
	Dually 7113-4	450	500	390	435	#7	#8	-	-	5/6	6/7	-	6/7	-	-	#7	#7	6/7	7/8	-	WF8
	Dually 8119-4	500	550	450	480	#8	#9	-	-	6/7	7/8	6/7	7/8	-	-	#8	#8	7/8	8/9	-	WF9
	Dually 6126-4	400	450	360	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF8
	Dually 7130-4	500	550	460	520	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF9
Dually 8136-4	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	
St. Croix	I1105.4	275	325	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7	
	I1106.4	375	425	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8	
	I1107.4	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9	
	I1108.4	525	575	510	540	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10	
	U12667.4	425	475	400	460	#6	#7	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	U1378.4	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
	U1489.4	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11
	U15910.4	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12
Sage	Accel Switch 6114-4	375	425	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#6	5/6	6/7	WF7	
	Accel Switch 7114-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF8	
	Accel Switch 8114-4	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#8	7/8	8/9	WF9	
	Accel 6126-4	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	-	-	-	-	-	-	WF8
	Accel 7126-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	Accel 7136-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	Accel 8136-4	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
	Method 6119-4 Switch	400	450	390	420	#6	#7	-	-	5/6	6/7	-	-	-	-	#6	#6	5/6	6/7	WF7	
	Method 7119-4 Switch	475	525	450	480	#7	#8	-	-	6/7	7/8	-	-	-	-	#7	#7	6/7	7/8	WF8	
	Method 8119-4 Switch	550	600	480	510	#8	#9	-	-	7/8	8/9	-	-	-	-	#8	#8	7/8	8/9	WF9	
	Method 9119-4 Switch	600	650	510	540	#9	-	-	-	8/9	9/10	-	-	-	-	#9	#9	8/9	-	-	WF10
	Method 6126-4	425	475	390	450	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF8
	Method 7126-4	500	550	450	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	Method 8126-4	550	600	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
	Method 9140-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11
	Method 10150-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12
	MOD 6130-4	425	475	390	435	#6	#7	#6	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF8
	MOD 7130-4	475	525	450	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	ONE Trout Spey 2109-4	200	250	180	210	-	-	-	-	-	-	-	-	-	-	#2	#2	-	-	-	-
	ONE Trout Spey 3110-4	250	300	240	270	-	-	-	-	-	-	-	-	-	-	#3	#3	-	-	-	WF5
	ONE Trout Spey 4116-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	-	4/5	WF5
	ONE Trout Spey 5116-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	-	WF6
	ONE Trout Spey 5126-4	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	-	WF7
	X Switch 6110-4	375	425	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#6	5/6	6/7	WF7	
	X Switch 7110-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF8	
	X Switch 8110-4	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#8	7/8	8/9	WF9	
	X 6120-4	400	450	360	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF8
	X 7120-4	500	550	480	540	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF9

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"
Sage	X 7130-4	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	X 7140-4	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	X 8120-4	575	625	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	X 8130-4	575	625	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	X 8140-4	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	X 9120-4	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	X 9140-4	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	X 10150-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Pulse Switch 3110-4	250	300	240	270	-	-	-	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	Pulse Switch 7114-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF8	
	Pulse Switch 8114-4	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#8	7/8	8/9	WF9	
	Pulse Spey 6126-4	425	475	390	450	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8	
	Pulse Spey 7130-4	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Pulse Spey 8136-4	575	625	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
Scierra	Switch 10' 8" 6/7	400	450	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF9	
	Switch 11' 2" 7/8	475	525	435	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF10	
	Double Handed 11' 8" 7/8	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	#8	6/7	7/8	WF10	
	Double Handed 13' 1" 8/9	550	600	7/8	8/9	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11	
	Double Handed 13' 9" 9/10	625	675	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	Double Handed 14' 6" 9/10	625	675	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	Double Handed 15' 6" 10/11	700	750	9/10	10/11	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Ferox 13' 9" 9/10	650	700	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	Ferox 15' 9" 10/11	700	750	9/10	10/11	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
Matuka 12' 9" 8/9	575	625	7/8	8/9	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11		
Matuka 14' 1" 9/10	650	700	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12		
Scott	T3H 1064	275	325	240	270	#5	#6	-	-	-	-	-	-	-	-	#4	#4	4/5	5/6	WF7	
	T3H 1106	425	475	360	390	#8	#9	-	-	-	5/6	-	-	-	-	#5	#5	5/6	7/8	WF9	
	T3H 1286	400	450	360	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8	
	T3H 1356	400	450	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8	
	T3H 1287	450	500	420	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	T3H 1357	450	500	420	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	T3H 1108	525	575	480	510	#7	#8	-	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	T3H 1288	500	550	480	510	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	T3H 1358	525	575	510	540	-	-	#7	#8	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	T3H 1409	625	675	520	580	-	-	#8	#9	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	T3H 1509	600	650	520	580	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11	
	T3H 1510	675	725	280	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	T3H 1610	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	L2H 1105	350	400	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7	
	L2H 1106	375	425	360	390	#6	#7	-	-	-	5/6	-	-	-	-	#6	#6	5/6	6/7	WF8	
	L2H 1256	375	425	360	390	#6	#7	-	-	5/6	6/7	5/6	6/7	5/6	-	-	-	-	-	WF8	
	L2H 1157	450	500	420	450	#7	#8	#7	#8	-	-	-	-	-	-	#5	#5	5/6	6/7	WF9	
	L2H 1257	425	475	420	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	L2H 1158	525	575	450	480	#8	#9	#8	#9	-	-	-	-	-	-	#7	#7	7/8	8/9	WF10	
	L2H 1308	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
L2H 1409	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
L2H 1510	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Snowbee	Diamond Spey 12' 6" 7/8	500	550	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF10	
	Diamond Spey 13' 8/9	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11	
	Diamond Spey 14' 9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	Diamond Spey 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Diamond Switch 10' 6" #7	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF8	
Diamond Switch 10' 6" #8	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#8	7/8	8/9	WF9		

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"
Temple Fork	11' #5 Pro	325	375	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7	
	12' 6" #6 Pro	400	450	390	435	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8	
	12' 6" #8 Pro	525	575	480	510	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	13' 3" #8 Pro	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	14' #9 Pro	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	15' #10 Pro	625	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	13' 9" #9/10 Sca	600	650	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	14' 9" #10/11 Sca	700	750	580	640	-	-	#10	#11	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	12' #12 T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF12
	Pandion 12' 9" #6	450	500	420	450	#7	#8	-	-	5/6	6/7	-	-	-	-	-	-	-	-	-	WF8
	Pandion 13' 3" #8	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	Pandion 13' 9" #9	625	675	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11
	Deer Creek 12' 6" #4/5	325	375	270	300	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	-	WF6
	Deer Creek 12' 6" #5/6	375	425	300	360	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	-	WF7
	Deer Creek 13' #6/7	450	500	420	450	#7	#8	-	-	5/6	6/7	-	-	-	-	-	-	-	-	-	WF8
	Deer Creek 13' #7/8	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	Deer Creek 13' 6" #8/9	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
	Deer Creek 14' #6/7	450	500	420	450	#7	#8	-	-	5/6	6/7	-	-	-	-	-	-	-	-	-	WF8
	Deer Creek 14' #7/8	475	525	435	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF10
	Deer Creek 14' #9/10	625	675	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11
	Deer Creek 15' #8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
	Deer Creek 15' #9/10	625	675	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11
	Deer Creek Switch 11' #4	250	300	240	270	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF5	
	Deer Creek Switch 11' #5	325	375	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6	
	Deer Creek Switch 11' #6	400	450	330	360	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF7	
	Deer Creek Switch 11' #7	450	500	420	450	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF8	
	Deer Creek Switch 11' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF9	
Deer Creek Switch 11' #9	575	625	510	540	#9	-	-	-	-	-	-	-	-	-	#9	#9	8/9	8/9	WF10		
Thomas & Thomas	DNA Switch 1005-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6		
	DNA Switch 1006-6	375	425	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#6	5/6	6/7	WF7	
	DNA Switch 1007-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF8	
	DNA Switch 1105-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6		
	DNA Switch 1106-4	375	425	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#6	5/6	6/7	WF7	
	DNA Switch 1107-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF8	
	DNA Trout Spey 1163-4	250	300	240	270	-	-	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5	
	DNA Trout Spey 1164-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF5	
	DNA Trout Spey 1195-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6	
	DNA 1195-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6	
	DNA 1295-4	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	-	WF7
	DNA 1266-4	400	450	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF8
	DNA 1307-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9
	DNA 1356-4	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	-	
	DNA 1368-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
	DNA 1477-4	475	525	400	460	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF9
	DNA 1498-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
	DNA 1409-5	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11
	DNA 1510-5	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12
	DNA XF 1177-4	400	450	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF8
DNA XF 1267-4	500	550	480	540	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF9	

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch OutBound (Short)	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"		
Thomas & Thomas	DNA XF 1298-4	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	DNA XF 1339-4	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	DNA XD 1167-4	475	525	400	460	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
	DNA XD 1208-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	DNA XD 1338-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
Vision	Cult 12' 6" #6	400	450	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8	
	Cult 12' 6" #7	475	525	400	460	#7	#8	-	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Cult 13' 4" #7	450	500	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Cult 13' 2" #8	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Cult 13' 8" #9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Cult 14' 7" #9	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	GT4 Catapult 11' 6" #7	475	525	435	480	#7	#8	#7	#8	5/6	6/7	-	-	-	-	#6	#7	6/7	7/8	WF9	
	GT4 Catapult 13" #9	550	600	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	GT4 Catapult 14' #10	550	625	520	580	-	-	#10	#11	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	GT4 Catapult 15" #11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Nite 12' 2" 8/9	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11	
	Nite 13' 7" 9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	Nite 14' 9" 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Nite 16' 9" 11/12	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Attack 13' 8/9	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11	
	Attack 14' 9/10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
Attack 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Winston	BIII TH 11' #6	400	450	330	390	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8	
	BIII TH 11' 6" #6	425	475	360	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#6	5/6	6/7	WF8	
	BIII TH 12' 6" #6	400	450	360	400	#6	#7	-	-	-	5/6	-	-	-	-	-	-	-	-	WF8	
	BIII TH 12' 9" #7	475	525	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	BIII TH 13' 3" #7	475	525	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	BIII TH 13' 6" #8	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	BIII TH 14' #8	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	5/6	6/7	WF10	
	BIII TH 15' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	BIII TH-MS 3106-4	250	275	210	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF5
	BIII TH-MS 4110-4	275	325	240	270	-	#4	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF6	
	BIII TH-MS 5116-4	350	400	300	330	#4	#5	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7	
Zpey	HM Signature 12' #7	475	525	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	HM Signature 12' 1" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	HM Signature 13' 1" #9	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	HM Signature 13' 3" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	HM Signature 13' 9" #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Inspire 12' 6" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Inspire 13' 6" #9	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Inspire 14' #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Inspire Classic 12' 6" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Inspire Classic 13' 6" #9	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Inspire Classic 14' 3" #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	

If you have an older model rod that is not shown here, check out the other PDF file "Older rods Spey line recs."