

RIO Spey line recommendations for older rods

Manufacturer	Model	RIO Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch OutBound (Short)	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"
Beulah	Switch 10' 6" 4/5	275	325	240	270	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF6	
	Switch 10' 6" 5/6	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF7	
	Switch 10' 6" 6/7	375	425	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF8	
	Switch 10' 6" 7/8	425	475	390	420	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9	
	Switch 10' 6" 8/9	450	500	435	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF10	
	Classic 11' 6" 6/7	425	475	360	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF9	
	Classic 12' 7" 7/8	500	550	480	510	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	#7	#8	-	-	WF10	
	Classic 13' 6" 8/9	575	625	480	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	#8	#9	-	-	WF11	
	Surf 11' 7/8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF10
	Surf 11' 8/9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF11
	Surf 11' 9/10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF12
Bruce & Walker	Norway 14' # 9	625	675	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	Norway 15' # 9-10	675	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11	
	Norway 15' # 10-11	700	750	640	640	-	-	#10	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12	
	Parabolic 13' #8/9	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Parabolic 14' #9/10	575	625	460	520	-	-	#9	#10	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Parabolic 15' #9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
Parabolic 16' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Cabelas	LST12489/4	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	LST13089/4	550	600	520	580	#8	#9	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	LST140910/4	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
CND	Expert 13' # 6/7	425	475	360	400	-	-	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8	
	Expert 13' # 7/8	500	550	435	450	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
	Expert 13' # 8/9	550	600	450	510	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	Expert 14' # 9/10	625	675	510	540	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11	
	Expert 15' # 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Solstice 13' 4" # 6/7	425	475	390	420	-	-	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Solstice 14' 3" # 7/8	500	550	435	480	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Solstice 15' 2" # 8/9	600	650	510	540	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Solstice 16' 1" # 9/10	650	700	580	60	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Sp. 13' 3" #8/9	550	600	510	540	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	Sp. 13' 8" #9	550	600	510	540	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Sp. 14' 4" #8/9/10	625	675	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Sp. 15' 6" #9/10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Sp. 16' 7" #10/11/12	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Oceana 11' 1" 9/10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF11
	Oceana 11' 1" 11/12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF12
	Tracker 9' 8" 6/7	425	475	420	435	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF9	
	Tracker 12' 2" 5/6	350	400	300	360	#5	#6	-	-	5/6	6/7	-	-	-	-	-	-	-	-	-	WF8
	BS 12' 6" #5/6/7	400	450	360	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF7
	BS 13' #6/7/8	500	550	435	480	-	-	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF8
BS 13' 6" #7/8/9	550	600	510	540	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF9	
BS 14' #8/9/10	600	650	510	540	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF10	
BS 15' #9/10/11	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF11	

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Daiwa	AMSF 14109-4E	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	AMSF 15011-4E	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	AMSF 15210-4E	675	725	580	640	-	-	#9	#10	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
	LMZF14010-3E	675	725	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	LMZF15010-3E	675	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	LMZF15011-3E	725	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	LMXF12608-3E	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	LMXF13609-4E	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	LMXF14610-4E	675	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	LMXF15611-4E	725	750	580	640	-	-	#10	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
	EX1209-3	550	600	480	510	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	EX1310-3	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	EX1410-3	625	675	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	EX1511-3	700	750	640	-	-	-	#11	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	WF1209-3	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	WF13010-3	675	725	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	WF1410-3	675	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	WF1511-3	725	750	580	640	-	-	#10	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
Echo	Classic 10' 9" #5	300	350	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	Classic 11' #6	350	400	300	360	#5	#6	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Classic 11' #7	425	475	360	390	#6	#7	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Classic 11' #8	475	525	420	435	#7	#8	-	-	-	-	-	-	-	-	#8	#8	6/7	7/8	WF10
	Classic 12' 6" #6	400	450	360	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	Classic 12' 9" #7	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Classic 13' #8	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Classic 12' 6' 6/7	400	450	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF8
	Classic 13' 7/8	525	575	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	Classic 13' 6' 8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Classic 14 9/10	675	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Dec Hogan 4119-4	250	300	240	270	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF5
	Dec Hogan 5122-4	300	350	270	300	#5	#6	-	-	-	5/6	-	-	-	-	#5	#6	4/5	5/6	WF6
	Dec Hogan 6126-4	400	450	330	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF7
	Dec Hogan 7130-4	475	525	400	460	-	-	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8
	Dec Hogan 8133-4	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	Dec Hogan 8150-4	525	575	520	520	-	-	#7	#8	7/8	8/9	8/9	8/9	8/9	8/9	-	-	-	-	WF9
	Dec Hogan 9136-4	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	E3 SR 6110	400	450	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	E3 SR 7110	450	500	390	420	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	E3 SR 8110	500	550	435	480	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10
	E3 TH 6127	400	450	390	420	#6	#7	-	-	-	-	-	6/7	-	-	-	-	-	-	WF8
	E3 TH 7130	475	525	420	480	-	-	#7	#8	6/7	7/8	6/7	7/8	-	-	-	-	-	-	WF9
	E3 TH 8134	550	575	480	510	-	-	#8	#9	7/8	8/9	7/8	8/9	-	-	-	-	-	-	WF10
	Solo 6126	400	450	360	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	Solo 7129	475	525	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	-	-	-	-	WF9
	Solo 8130	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Switch 10' 6" #3	225	275	210	240	-	#4	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	Switch 10' 6" #4	250	300	240	270	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF6
	Switch 10' 8" #5	275	325	240	270	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	Switch 10' 10" #6	375	425	300	390	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Switch 10' 10" #7	425	475	420	435	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Switch 10' 10" #8	525	575	480	540	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10
	Scandinavian 12' 4" #7	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	Scandinavian 12' 4" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Scandinavian 12' 6" #9	625	675	520	580	#9	-	#9	#10	8/9	8/9	8/9	9/10	8/9	9/10	-	-	-	-	WF11

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch OutBound (Short)	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"
Elk Horn	1156-4	450	500	360	400	#5	#6	-	-	5/6	6/7	-	6/7	-	6/7	#5	#6	4/5	5/6	WF8	
	1267-6	500	550	400	460	#6	#7	-	#7	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	1489-6	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
Greys	Missionary 6 13' #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Missionary 6 15' #10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	X Flite 13' #8	500	550	460	520	-	-	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	X Flite 14' #9	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	X Flite 15' #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	X Flite 16' #11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Xf2 S 12' #7	500	550	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Xf2 S 12' #9	575	625	520	580	#9	-	-	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Xf2 S 13' #8	550	600	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Xf2 S 14' #9	625	675	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Xf2 S 15' #10	675	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Xf2 T 12' #7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Xf2 T 13' #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Xf2 T 13' #9	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	Xf2 T 14' #9	650	700	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Xf2 T 15' #10	700	750	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	G Tec 12' #8	500	550	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	G Tec 14' #9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	G Tec 15' #10	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	G Series 13' 8/9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	G Series 14' 8/9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	G Series 15' 10/11	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	GRXi 11' 6" #6	400	450	360	390	#6	#7	-	-	-	5/6	-	-	-	-	#5	#6	4/5	5/6	WF8	
	GRXi 12' #7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	GRXi 13' #8	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	GRXi 14' #9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	GRXi 15' #10	625	675	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	GS2 12' #7	450	500	400	460	#7	#8	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	GS2 13' #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	GS2 14' #9	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
GS2 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
GS 13' #8	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
GS 15' #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Fly Logic	Dec Hogan #7	450	500	400	460	#7	#8	-	#7	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8	
	Dec Hogan #8	550	600	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
	Dec Hogan #9	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
Gary Anderson	1415-6 EPS	325	375	280	310	-	-	-	-	-	5/6	-	-	-	-	-	-	-	-	WF6	
	1215-4 EPS	325	375	280	310	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF6	
	1195-5 LS	325	375	280	310	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7	
	1316-4 LS	400	450	350	390	-	-	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF8	
	1386-5 LS	400	450	350	390	-	-	-	-	-	5/6	-	-	-	-	-	-	-	-	WF8	
	1237-5 LS	425	475	380	400	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	1397-4 EPS	475	525	400	450	-	-	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF8	
	1238-4 EPS	500	550	450	480	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	1518-4 LS	500	550	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	1398-4 EPS	525	575	480	520	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	1368-4 LS	575	625	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	1449-5 LS	625	675	510	540	-	-	#9	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	

Manufacturer	Model	Skagit		RIO		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch OutBound (Short)	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"
Hardy	Salar 12' 6" #8	500	550	450	480	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
	Salar 15' #10	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11	
	Salar 16' #11	750	-	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12	
	Salmon Travel 11' 6" #7	400	450	350	390	#7	#8	-	-	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8	
	Salmon Travel 15' #9	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	Angel 2 12' #7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Angel 2 13' #8	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Angel 2 14' #9	575	625	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Angel 2 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Demon 12' #7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Demon 13' #8	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Demon 14' #9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Demon 15' #10	600	650	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Marksman S 11' 6" #7	450	500	420	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9	
	Marksman S 12' 6" #8	500	550	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Marksman S 12' 6" #9	550	600	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Marksman S 13' 8" #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Marksman S 14' 8" #10	675	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Marksman S 15' 8" #11	700	750	580	640	-	-	#10	#11	10/11	-	10/11	-	10/11	-	-	-	-	-	WF12	
	Marksman T 12' #7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Marksman T 13' #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Marksman T 14' #9	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Marksman T 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Marksman T 16' #11	675	725	580	640	-	-	#10	#11	10/11	-	10/11	-	10/11	-	-	-	-	-	WF12	
	Swift 11' 6" #7	450	500	420	450	#7	#8	-	-	-	-	-	-	-	-	#6	#7	6/7	7/8	WF9	
	Swift 13' #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Swift 14' #9	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Swift 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Swift 16' #11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Zenith DH 12' 6" #7	475	525	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Zenith DH 13' 6" #8	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Zenith DH 14' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Zenith DH 15' 1" #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Gem 13' #9	600	650	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
Loomis	GLX - 11' 6" # 8/9	400	450	390	400	#7	#8	-	-	6/7	7/8	6/7	7/8	6/7	7/8	#8	#9	7/8	8/9	WF8	
	GLX - 13' # 8/9	600	650	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	GLX - 14' # 9/10	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	GLX - 15' # 10/11	750	-	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12	
	GLX - 15' 6" # 11/12	750	-	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12	
	GL3 - 14' # 8/9	550	600	480	520	-	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
	GL3 - 14' # 9/10	650	700	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	GL3 - 15' # 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11	
	Gr. Ln. 14' #8/9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11	
	Gr. Ln. 15' #7/8	475	525	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF10	
	Gr. Ln. 15' #8/9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11	
	Gr. Ln. 15' #9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	Gr. Ln. 16' #9/10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12	
	Gr. Ln. 15' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Gr. Ln. 17' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	Dredger 13' 4" #7/8	450	500	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Dredger 13' 9" #8/9	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Dredger 14' #9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Stinger 12' 6" 450gr	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9	
	Stinger 13' 500gr	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Stinger 13' 6" 550gr	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Stinger 15' 1" 700gr	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	

Manufacturer	Model	Skagit		RIO		Scandi		Scandi		InTouch Short		InTouch Mid		InTouch Long		InTouch		InTouch		InTouch OutBound (Short)		
		"A"	"B"	"A"	"B"	"A"	"B"	Short VT	VersiTip	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"		"A"	"B"
Loomis	PRO4X Switch 10'6" 5wt	350	375	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	-	4/5	WF7		
Loomis	PRO4X Switch 11' 7wt	425	450	360	390	#7	#8	-	-	-	-	-	-	-	-	#7	#7	5/6	6/7	WF9		
Loomis	PRO4X Switch 11'6" 9wt	525	550	450	480	#9	-	-	-	-	-	-	-	-	-	#9	#9	8/9	-	WF11		
Loomis	PRO4X 13' 7/8	525	550	435	450	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9		
Loomis	PRO4X 13' 8/9	575	600	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Loomis	PRO4X 14' 9/10	600	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
Loomis	PRO4X 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Loomis	GLX Switch 11' #5	325	375	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	-	4/5	WF7		
Loomis	GLX Switch 11' #7	450	500	420	450	#7	#8	-	-	-	-	-	-	-	-	#7	#7	5/6	6/7	WF9		
Loomis	GLX Switch 11' #8	500	550	450	510	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10		
Loomis	NRX Switch 12' 6wt	400	425	330	360	#6	#7	-	-	-	6/7	-	-	-	-	#6	#6	5/6	6/7	WF8		
Loomis	NRX Scandi 12'6" 9/10	650	700	510	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12		
Loomis	NRX 14' 6/7	475	500	400	450	-	-	#7	#8	6/7	7/8	-	6/7	-	-	-	-	-	-	WF8		
Loomis	NRX 13'7/8	525	575	435	450	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9		
Loomis	NRX 13' 8/9	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Loomis	NRX 14' 8/9	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Loomis	NRX 14' 9/10	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
Loomis	NRX 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Loomis	Dredger 12' 9" #6/7	450	500	400	435	#6	#7	#6	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	WF8		
Loomis	Stinger 12' 6" #7/8	525	575	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Loomis	Stinger 14' #9/10	700	750	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Loomis	Metolius 13' 4" #5/6	400	450	350	390	#5	#6	#5	#6	-	-	-	-	-	-	-	-	-	-	WF7		
Loomis	Versa Spey 12' 6" 5/6	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF8		
Loomis	Versa Spey 13' 6/7	450	500	330	400	-	-	#6	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	WF9		
Loomis	Versa Spey 13' 7/8	500	550	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF10		
Loomis	Versa Spey 13' 6" 8/9	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11		
Loomis	Versa Spey 13' 6" 9/10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12		
Loomis	Trilogy - 13' #7/8	500	550	450	480	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9		
Loomis	Trilogy - 13' #9/10	600	650	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10		
Loomis	Trilogy - 15' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11		
Loop	Grey 9130 - 4	625	675	510	540	#9	-	#10	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
Loop	Grey 10150 - 4	700	750	580	640	-	-	-	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Loop	Green 8124 - 4	575	625	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Loop	Green 9132 - 4	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
Loop	Green 9140 - 4	650	700	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12		
Loop	Green 10150 - 4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Loop	Black 8124 - 4	525	625	480	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9		
Loop	Black 9140 - 4	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Loop	Blue 7116 - 4	450	500	435	450	#7	#8	-	-	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9		
Loop	Blue 8124 - 4	525	575	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Loop	Blue 9132 - 4	575	625	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
Loop	Blue 9140 - 4	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
Loop	Blue 10150 - 4	675	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Loop	Yellow 8124-4	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9		
Loop	Yellow 9132-4	475	525	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Loop	Yellow 9140-4	525	575	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10		
Loop	Opti Power Spey 13' # 9-10	600	650	460	520	-	-	#9	#10	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11		
Loop	Opti Power Spey 14' # 9-10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12		
Loop	Opti Power Spey 15' # 10-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Loop	Evotec 12'6" # 6, MF	375	425	-	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8		
Loop	Evotec 13' # 7, MF	425	475	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9		
Loop	Evotec 12' # 8, MF	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Loop	Evotec 13'6" # 8, MF	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Loop	Evotec 13'6" # 8, F	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
Loop	Evotec 14' # 9, MF	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
Loop	Evotec 14' # 9, F	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
Loop	Evotec 15' # 10, MF	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Loop	Evotec 15' # 10, F	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch OutTouch (Short)		
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Loop	XACT 12' 6" # 6, MF	375	425	360	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF8	
	XACT 13' # 7, MF	425	475	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9	
	XACT 12' 6" # 8, MF	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	
	XACT 13' 6" # 8, MF	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	
	XACT 14' # 9, MF	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	XACT 15' # 10, MF	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
	G.A. Signature Series 12' # 6	375	425	-	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	-	WF8	
	G.A. Signature Series 14' # 8	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	
	G.A. Signature Series 11' 6" # 9	575	625	520	580	#9	-	-	-	8/9	9/10	8/9	9/10	8/9	9/10	-	#9	-	8/9	-	WF11	
	G.A. Signature Series 12' 6" # 9	600	650	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	G.A. Signature Series 14' 6" # 10	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
	Opti 12' 4" #8	525	575	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	
	Opti 13' 2" #9	600	650	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	LTS X1 12' 6" #8	500	550	435	480	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	-	WF10	
	LTS X1 13' 6" #9	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WH11	
	LTS X1 14' 6" #10	625	675	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF12	
	LTS X1 15' 6" #11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
	LTS Slingshot 13' 2" #9	575	625	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	LTS Slingshot 14' #9	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	LTS Slingshot 15' #10	650	700	540	580	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
	Classic 13' #9	600	650	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF11	
	Classic 14' #9	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	Classic 15' #10	650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
Orvis	Silver Label 1267-3	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	-	WF8	
	Silver Label 1268-3	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	-	WF8	
	Silver Label 1490-4	500	550	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF9	
	Silver Label 1510-4	550	600	480	520	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF10	
	Streamline 14' 9/10	650	700	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	Helios Switch 11' #5	325	375	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	-	WF7	
	Helios Switch 11' #6	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	-	WF8	
	Helios Switch 11' #7	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	-	WF9	
	Helios Switch 11' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	-	WF10	
	Helios 13' #7	450	500	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9	
	Helios 13' 6" #8	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	
	Helios 14' #9	600	650	520	580	-	-	#10	#11	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	Helios 15' #10	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
	Helios 2 13' 6" #8	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	
	Helios 2 14' #9	600	650	520	580	-	-	#10	#11	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	Helios 2 15' #10	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
	Shooting Star 13' #7	425	475	400	460	#6	#7	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9	
	Shooting Star 13' 6" #8	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	
	Shooting Star 14' #9	575	625	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	Shooting Star 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
	Streamline 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
	Trident 1267-3	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	-	WF8	
	Trident 1268-3	500	550	450	480	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF9	
	Trident 1490-4	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF10	
	Trident 1510-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF11	
	Helios 2 Switch 11' #5	325	375	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	-	WF7	
	Helios 2 Switch 11' #6	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	-	WF8	
	Helios 2 Switch 11' #7	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	-	WF9	
	Helios 2 Switch 11' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	-	WF10	
	Helios 2 Switch 11' #9	550	600	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	#9	#9	-	-	-	WF10	
RainShadow	IF 1266-4	400	450	350	390	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	-	WF7	
	IF1307-4	425	475	390	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	-	WF7	
	IF1368-4	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	-	WF9	
	IF1409-4	575	625	480	520	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	

Manufacturer	Model	Skagit		RIO		Scandi		Scandi		InTouch Short		InTouch Mid		InTouch Long		InTouch		InTouch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Redington	Chromer Switch 6116-4	325	375	300	360	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF7
	Chromer Switch 7116-4	450	500	390	435	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF8
	Chromer Switch 8116-4	475	525	435	450	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF9
	Chromer 6126-4	425	475	360	390	#5	#6	#5	#6	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	Chromer 7126-4	475	525	400	460	#7	#8	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Chromer 7136-4	475	525	400	460	#7	#8	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Chromer 8126-4	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Chromer 8136-4	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Hydrogen Trout Spey 2110-4	200	250	180	210	-	-	-	-	-	-	-	-	-	-	#2	#2	-	-	-
	Hydrogen Trout Spey 3113-4	250	300	240	270	-	-	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	Hydrogen Trout Spey 4116-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF5
	DFR 12' 6" # 7	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8
	DFR 13' # 8	500	550	435	450	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	DFR 14' # 9	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	DFR 15' # 10	700	750	640	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	DHRF 12' 6" # 7/8	450	500	400	435	#8	#9	#8	#9	6/7	7/8	6/7	7/8	7/8	8/9	-	-	-	-	WF9
	DHRF 13' # 8/9	550	600	510	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	DHRF 14' # 9/10	650	700	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	DHRF 15' # 10/11	750	-	640	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Prospector Switch 4109-4	275	325	240	270	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF5
	Prospector Switch 5110-4	275	325	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6
	Prospector Switch 6110-4	325	375	300	360	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF7
	Prospector Switch 7113-4	375	425	360	390	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF8
	Prospector Switch 8119-4	475	525	435	450	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF9
	Prospector 6126-4	425	475	360	390	#5	#6	#5	#6	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	Prospector 7130-4	475	525	400	460	#7	#8	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Prospector 8136-4	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	RS4 7133	450	500	400	435	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF10
	RS4 8140	500	550	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	RS4 9149	600	650	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF12
	CPX Switch 5106	275	325	280	310	#5	#6	-	-	-	5/6	-	-	-	-	#5	#6	4/5	5/6	WF7
	CPX Switch 6106	325	375	310	350	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF8
	CPX Switch 7113	375	425	350	390	#7	#8	-	-	-	-	6/7	7/8	-	-	#7	#8	6/7	7/8	WF9
	CPX Switch 8113	475	525	450	510	#8	#9	-	-	-	-	7/8	8/9	-	-	#8	#9	7/8	8/9	WF10
	CPX 6126	375	425	350	390	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	CPX 7129	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	6/7	-	-	-	-	WF9
	CPX 8133	500	550	480	510	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	7/8	-	-	-	-	WF10
	CPX 9139	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	8/9	-	-	-	-	WF12
	Chromer 8126-4	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Redfly 2 13084	550	600	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Redfly 2 14094	625	675	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Redfly 2 150104	700	750	580	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
	RS3 13#7	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8
	RS3 14' #8	500	550	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	RS3 14' 9" #9	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
St. Croix	13' # 7/8	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8
	14' # 9/10	550	600	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	15' # 10/11	650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	A1378.3	475	525	435	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	A14910.3	600	650	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	A151011.3	675	700	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	I1105.4	275	325	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	I1106.4	375	425	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	I1107.4	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	I1108.4	525	575	510	540	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10
	U12667.4	425	475	400	460	#6	#7	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	U1378.4	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	U1489.4	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	U15910.4	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12

Manufacturer	Model	RIO		Scandi		Scandi		InTouch Short		InTouch Mid		InTouch Long		InTouch		InTouch		InTouch OutBound (Short)		
		Skagit		Scandi		Short VT		VersiTip		Head Spey		Head Spey		Chucker		Switch				
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"			
Sage	VPS 9140-4	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	WF9		
	5120-4	400	450	350	390	#5	#6	-	-	-	5/6	-	-	-	-	-	-	WF6		
	Fli 8140-4	600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	WF10		
	VT2 7130-4	525	575	450	480	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	WF10		
	VT2 8139-4	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	WF11		
	VT2 9144-4	625	675	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	WF12		
	9140-3	625	675	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	WF12		
	Accel Switch 6114-4	375	425	390	420	#6	#7	-	-	-	6/7	-	6/7	-	-	#6	#6	5/6	6/7	WF7
	Accel Switch 7114-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF8
	Accel Switch 8114-4	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#8	7/8	8/9	WF9
	Accel 6126-4	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	-	-	-	-	-	WF8
	Accel 7126-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Accel 7136-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Accel 8136-4	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	MOD 6130-4	425	475	390	435	#6	#7	#6	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	MOD 7130-4	475	525	450	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	ONE Switch 4116-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF5
	ONE Switch 5116-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6
	ONE Switch 6116-4	375	425	390	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF7
	ONE Switch 7116-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8
	ONE Switch 8116-4	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#9	7/8	8/9	WF9
	ONE 5126-4	375	425	300	330	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7
	ONE 6126-4	400	450	360	400	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
	ONE 7126-4	500	550	480	540	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	ONE 7126-6	500	550	480	540	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	ONE 7136-4	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	ONE 7136-6	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	ONE 8126-4	575	625	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ONE 8136-4	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ONE 9140-4	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	ONE 9140-6	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	ONE 10130-4	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	ONE 10150-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	ONE Trout Spey 2109-4	200	250	180	210	-	-	-	-	-	-	-	-	-	-	#2	#2	-	-	-
	ONE Trout Spey 3110-4	250	300	240	270	-	-	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	ONE Trout Spey 4116-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF5
	European 6126-3	425	475	390	400	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8
	European 8126-3	550	600	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	European 7141-4	600	650	520	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	European 9141-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	European 10151-4	750	-	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
	European 10161-4	750	-	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
	TCR 8123 - 4	600	650	540	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	TCR 9129 - 4	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	TCR 9140 - 4	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	TCR 10150 - 4	750	-	640	700	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
	TCX 5119-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6
	TCX 6119-4	375	425	390	420	#6	#7	-	-	-	5/6	-	-	-	-	#6	#7	5/6	6/7	WF7
	TCX 7119-4	425	475	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8
	TCX 8119-4	525	575	435	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#9	7/8	8/9	WF9
	TCX 7126-4	525	575	460	520	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	TCX 9140-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Method 6119-4 Switch	400	450	390	420	#6	#7	-	-	-	6/7	-	-	-	-	#6	#6	5/6	6/7	WF7
	Method 7119-4 Switch	475	525	450	480	#7	#8	-	-	6/7	7/8	-	-	-	-	#7	#7	6/7	7/8	WF8
	Method 8119-4 Switch	550	600	480	510	#8	#9	-	-	7/8	8/9	-	-	-	-	#8	#8	7/8	8/9	WF9
	Method 9119-4 Switch	600	650	510	540	#9	-	-	-	8/9	9/10	-	-	-	-	#9	#9	8/9	-	WF10
	Method 6126-4	425	475	390	450	#6	#7	-	-	#7	-	6/7	-	-	-	-	-	-	-	WF8
	Method 7126-4	500	550	450	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch OutBound (Short)	
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"
Sage	Method 8126-4	550	600	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Method 9140-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	Method 10150-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	ONE Trout Spey 5116-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6	
	ONE Trout Spey 5126-4	375	425	300	330	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	WF7	
	Traditional 7136-4	450	500	400	435	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF7	
	Traditional 8136-4	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
	Traditional 9140-4	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF9	
	Traditional 9150-4	600	650	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	VXP 5120-4	325	375	300	330	#5	#6	-	-	5/6	6/7	-	-	-	-	-	-	-	-	WF7	
	VXP 6129-4	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	-	-	-	-	-	WF9	
	VXP 7133-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	VXP 8136-4	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Z-Axis 5110-4	275	325	280	310	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF6	
	Z-Axis 6110-4	325	375	310	350	#6	#7	-	-	-	-	-	6/7	-	-	#6	#7	5/6	6/7	WF7	
	Z-Axis 7110-4	375	425	350	390	#7	#8	-	-	-	-	6/7	7/8	-	-	#7	#8	6/7	7/8	WF8	
	Z-Axis 8110-4	475	525	450	510	#8	#9	-	-	-	-	7/8	8/9	-	-	#8	#9	7/8	8/9	WF10	
	Z-Axis 5126-4	350	400	310	350	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	WF7	
	Z-Axis 6126-4	375	425	350	390	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF8	
	Z-Axis 7136-4	450	500	400	435	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	Z-Axis 8129-4	500	550	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Z-Axis 8134-4	500	550	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	Z-Axis 9143-4	575	625	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
Z-Axis 10150-4	650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Z-Axis 10160-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
Scott	ARC 11' 9" # 6	400	450	350	390	#6	#7	-	-	5/6	6/7	-	6/7	-	-	#5	#6	4/5	5/6	WF7	
	ARC 12' 8" # 7	450	500	390	400	#6	#7	-	#7	6/7	6/7	6/7	6/7	-	6/7	-	-	-	-	WF8	
	ARC 13' # 8	500	550	450	480	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF8	
	ARC 14' # 9	550	600	480	510	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
	ARC 15' # 9	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9	
	ARC 16' # 10	650	700	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10	
	A3 1308	500	550	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	A31409	625	675	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	A31510	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	LS2 1206-4	350	400	310	350	#6	#7	-	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	WF8	
	LS2 1307/4	450	500	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	LS2 1408/4	550	600	480	520	-	-	#8	#9	8/9	9/10	8/9	9/10	7/8	8/9	-	-	-	-	WF10	
	LS2 1509/4	600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	LS2 1610/4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	T2H 1085	275	325	280	310	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF7	
	T2H 1088	425	475	400	450	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF9	
	T2H 1256	350	400	310	350	#6	#7	-	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	WF8	
	T2H 1258	500	550	480	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	T2H 1357	450	500	400	450	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9	
	T2H 1409	550	600	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	T2H 1458	500	550	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	T2H 1509	575	625	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	T2H 1510	650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	T2H 1610	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
	SAS 13' # 8	550	600	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10	
	SAS 14' # 9	650	700	540	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11	
	SAS 15' # 10	750	-	640	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch Out(Bound (Short)		
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Temple Fork	11' #5 Pro	325	375	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7		
	12' 6" #6 Pro	400	450	390	435	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8		
	12' 6" #8 Pro	525	575	480	510	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	13' 3" #8 Pro	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10		
	14' #9 Pro	600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11		
	15' #10 Pro	625	725	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12		
	13' 9" #9/10 Sca	600	650	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12		
	14' 9" #10/11 Sca	700	750	580	640	-	-	#10	#11	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12		
	12' #12 T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF12	
	Pandion 12' 9" #6	450	500	420	450	#7	#8	-	-	5/6	6/7	-	-	-	-	-	-	-	-	-	WF8	
	Pandion 13' 3" #8	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9	
	Pandion 13' 9" #9	625	675	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	Deer Creek 12' 6" #4/5	325	375	270	300	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	-	WF6	
	Deer Creek 12' 6" #5/6	375	425	300	360	#5	#6	-	-	-	5/6	-	-	-	-	-	-	-	-	-	WF7	
	Deer Creek 13' #6/7	450	500	420	450	#7	#8	-	-	5/6	6/7	-	-	-	-	-	-	-	-	-	WF8	
	Deer Creek 13' #7/8	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF9	
	Deer Creek 13' 6" #8/9	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	
	Deer Creek 14' #6/7	450	500	420	450	#7	#8	-	-	5/6	6/7	-	-	-	-	-	-	-	-	-	WF8	
	Deer Creek 14' #7/8	475	525	435	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	-	WF10	
	Deer Creek 14' #9/10	625	675	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	Deer Creek 15' #8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	
	Deer Creek 15' #9/10	625	675	580	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
	Deer Creek Switch 11' #4	250	300	240	270	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	4/5	-	WF5	
	Deer Creek Switch 11' #5	325	375	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	-	WF6	
	Deer Creek Switch 11' #6	400	450	330	360	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	-	WF7	
	Deer Creek Switch 11' #7	450	500	420	450	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	-	WF8	
	Deer Creek Switch 11' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	-	WF9	
	Deer Creek Switch 11' #9	575	625	510	540	#9	-	-	-	-	-	-	-	-	-	#9	#9	8/9	8/9	-	WF10	
	Thomas & Thomas	1107	425	475	390	400	#7	#8	-	-	6/7	7/8	-	-	-	-	#7	#8	6/7	7/8	WF9	
		1206 - 3	375	425	350	390	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	-	WF8
		1208 - 3	500	550	450	480	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
		1208 - 4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10
1266 - 4		375	425	350	390	#6	#7	-	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	-	WF8	
1307 - 3		500	550	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	-	WF9	
1308 - 4		525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	-	WF10	
1309 - 4		575	625	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
1409 - 3		600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
1509 - 3		600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
1510 - 3		700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
1511 - 6		700	750	640	640	-	-	#11	#11	9/10	10/11	9/10	10/11	10/11	10/11	-	-	-	-	-	WF12	
1611 - 3		700	750	640	640	-	-	#11	#11	9/10	10/11	9/10	10/11	10/11	10/11	-	-	-	-	-	WF12	
1611 - 6		700	750	640	640	-	-	#11	#11	9/10	10/11	9/10	10/11	10/11	10/11	-	-	-	-	-	WF12	
1212 - 3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF12	
1309 - 3		600	650	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
1409 - 5		600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	-	WF11	
1410 - 3		650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
1510 - 5		650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	-	WF12	
1511 - 3		750	750	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	-	WF13	
1711 - 4		750	750	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	-	WF14	
DNA Switch 1004-4		275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	4/5	-	WF5	
DNA Switch 1008-4		500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#9	7/8	8/9	-	WF9	
SW1006 - 4		325	375	300	360	#6	#7	-	-	-	-	-	-	-	-	#5	#6	5/6	6/7	-	WF8	
SW1007 - 4		425	475	420	435	#7	#8	-	-	-	-	-	-	-	-	#6	#7	6/7	7/8	-	WF9	
SW1008 - 4		525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#7	#8	7/8	8/9	-	WF10	
SW1009 - 4		575	625	510	540	#9	-	-	-	-	-	-	-	-	-	#8	#9	8/9	-	-	WF11	

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"
Winston	LT 712-4	400	450	390	400	#7	#8	#7	#8	6/7	6/7	6/7	6/7	6/7	7/8	-	-	-	-	WF8
	LT813-4	450	500	435	450	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	LT914-4	650	700	540	580	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	LT1015-4	600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	Blilx 11' # 7	400	450	360	390	#6	#7	-	-	-	-	-	-	-	-	#5	#6	5/6	6/7	WF8
	Blilx 12' 6" # 6/7	425	475	360	400	#6	#7	-	#7	-	6/7	-	6/7	-	6/7	-	-	-	-	WF9
	Blilx 13' # 8/9	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Blilx 13' 3" # 7/8	475	525	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	Blilx 14' # 8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Blilx 15' # 9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Bil-MX11' 6" # 6/7	375	425	360	400	#6	#7	-	-	-	6/7	-	6/7	-	6/7	#6	#7	5/6	6/7	WF8
	Bil-MX12' 3" # 7/8	500	550	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	VSL 12' 6" # 6/7	425	475	360	390	#6	#7	#6	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF9
	VSL 14' # 8/9	525	575	480	510	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Derek Brown 7/8	550	600	520	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	Derek Brown 8/9	600	650	520	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	Derek Brown 9/10	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	Derek Brown 10/11	750	750	640	640	-	-	#11	#11	10/11	10/11	10/11	10/11	10/11	10/11	-	-	-	-	WF12
	Vapor 12' 6" # 6/7	400	450	390	400	#6	#7	-	#7	5/6	6/7	-	6/7	-	6/7	-	-	-	-	WF8
	Vapor 14' # 8/9	550	600	520	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	VSL 12' 6" # 6/7	425	475	360	390	#6	#7	#6	#7	5/6	6/7	-	6/7	-	-	-	-	-	-	WF9
	VSL 14' # 8/9	525	575	480	510	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Zpey	Switch FW 906	325	375	300	360	#5	#6	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF8
Switch FW 1006		375	425	360	390	#6	#7	-	-	-	-	-	-	-	#5	#6	5/6	6/7	WF8	
Switch FW 1007		425	475	390	420	#7	#8	-	-	-	-	-	-	-	#6	#7	6/7	7/8	WF9	
Switch FW 1008		525	575	480	510	#8	#9	-	-	-	-	-	-	-	#7	#8	7/8	8/9	WF10	
Switch FW 1107		425	475	420	435	#7	#8	-	-	-	-	-	-	-	#6	#7	6/7	7/8	WF9	
Switch FW 1109		575	625	510	540	#9	-	-	-	-	-	-	-	-	#7	#8	7/8	8/9	WF11	
Instinct 12' 7/8		325	375	300	360	#5	#6	-	-	5/6	6/7	-	-	-	-	-	-	-	-	WF8
Instinct 12' 8/9		375	425	360	420	#6	#7	-	-	5/6	6/7	-	6/7	-	-	-	-	-	-	WF8
Instinct 13' 3" 8/9		475	525	400	460	#6	#7	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
Instinct 13' 7" 9/10		525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
Instinct 14' 6" 9/10		550	600	520	580	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
Instinct 15' 10/11		650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
First Edition 12' 3" #8		525	575	480	510	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
First Edition 13' 3" #9		600	650	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
First Edition 14' 3" #10		650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
First Edition 15' 10/11	700	750	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	
First Edition 16' #11	700	750	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12	

Each rod has been rated for two different line designations. The 'A' rating is for casters that like to feel a "faster" action rod and the 'B' rating is for those that prefer a rod to bend deeper and feel the load. The 'B' rating is also a good choice when casting large flies, or coping with a windy day.