AUTHORIZED DEALER CATALOG


REDINGTON 2001

REDINGTON

PH: 1.800.253.2538
820 S. Dixie Highway Stuart, Florida 34994 U.S.A.
© 2001 Redington Tackle Company

WWW.REDINGTON.COM






At Redington, we've taken the ***Nano Titanium (Nti)*** technology used in the space program and applied it to another long-range program – our new Nti fly rods. We begin with the lightweight strength of titanium, the substance that led a revolution in sports equipment design and application. By adding Nano Titanium to hard-to-find polymer resins, we're able to strengthen pre-preg materials so they significantly outperform the old barriers associated with super high-modulus graphite fibers. The Nti blanks are a multi-modulus composite of 57, 69 and even 84 million modulus graphite, producing the lightest, fastest, most powerful fly rod ever. It's a rod you can cast for distance as well as extreme accuracy. The incredible lightweight construction reduces fatigue by eliminating the need for a lot of false casting. During our extensive testing and development, the Nti caught the eye of quite a few fly-fishing experts and reviewers who unabashedly sing its praises: "Excellent balance." "It's rare to find such smooth action in such a fast rod." "You have so much control with the tip it's like drawing with a pencil in the air." What do we suspect your reaction will be? A simple, "WOW!" will be good enough.

SEC 01 RODS&REELS TITANIUMTECHNOLOGY






- Name: Titanium
- Symbol: Ti

- Atomic number: 22
- Atomic weight: 47.867 (1)

Solid @ 298K



The strength of standard graphite resins is unpredictable because they contain hooks, hinges and voids



Treating graphite with Nano Titanium increases the repeatability and predictability of the resin


Graphite is not a tough substance. Its strength is unpredictable and it can snap easily. Nti® restructures pure graphite resin on a molecular level. It bonds the electrons and creates a 100% transfer barrier that increases strength and decreases weight. This is the biggest development in material science since graphite replaced fiberglass in high-performance fly rods.

*"After 20 years of guiding out of Big Pine, I never expected **any** rod builder to put together something this good. The Nti rods are all I will fish, for good."*

~ CAPTAIN LENNY MOFFO *Big Pine Key, FL*



Model	Length	Line wght.	Pieces	Tip size	Butt size	Rod wght.	Handle
Nano Titanium							
NTI 490	9'	#4	3	1.5 mm	0.3125"	2.69 oz.	A
NTI 590	9'	#5	3	1.65 mm	0.3125"	2.73 oz.	A
NTI 690	9'	#6	3	1.65 mm	0.375"	3.1 oz.	A
NTI 790	9'	#7	3	1.7 mm	0.375"	3.67 oz.	B
NTI 890	9'	#8	3	1.8 mm	0.375"	3.87 oz.	B
NTI 990	9'	#9	3	2 mm	0.375"	3.95 oz.	B
NTI 1090	9'	#10	3	2 mm	0.375"	4.15 oz.	B
NTI 1290	9'	#12	3	2 mm	0.375"	4.35 oz.	B




- Space group: P63/mmc
- Space group no.: 194

- Structure: hcp
  (hexagonal close-packed)

NANO COMPOSITE TECHNOLOGY



The DFR (David Fell Redington) line:
The sensitivity and responsiveness of our innovatively designed DFR fly rods have set a whole new standard in the industry. Our exclusive 100% graphite multi-modulus process eliminates fiberglass from the design, providing the best-suited materials at each section of the blank. Combine this with a true helical graphite wrap schedule and you get a hoop-strength whose unsurpassed lightness beats all competitive offerings. Choose from a variety of double-handed saltwater and ultra-light, three-piece trout rods.



01 RODS&REELS DFRLINE

Model	Length	Line wght.	Pieces	Tip size	Butt size	Rod wght.	Handle
Fresh							
DFR 280	8'	#2	3	3 mm	0.330"	2.14 oz.	C
DFR 370	7'	#3	3	3 mm	0.291"	1.98 oz.	C
DFR 376	7'6"	#3	3	3.5 mm	0.311"	2.2 oz.	C
DFR 586	8'6"	#5	3	3.5 mm	0.378"	3.4 oz.	C
DFR 490	9'	#4	3	4 mm	0.358"	3.3 oz.	C
DFR 590	9'	#5	3	4 mm	0.404"	3.65 oz.	C
DFR 690	9'	#6	3	4.2 mm	0.404"	3.75 oz.	C
Salt							
DFR 690	9'	#6	3	4.2 mm	0.404"	3.8 oz.	B
DFR 790	9'	#7	3	4.5 mm	0.413"	3.85 oz.	B
DFR 890	9'	#8	3	4.5 mm	0.421"	4 oz.	B
DFR 990	9'	#9	3	4.75 mm	0.422"	4.1 oz.	B
DFR 1090	9'	#10	3	5 mm	0.437"	4.2 oz.	B
DFR 1290	9'	#12	3	5.5 mm	0.438"	4.5 oz.	B
DFR 1586	8'6"	#15	3	5.5 mm	0.440"	5.8 oz.	B
Double Handed							
DFR 7126	12'6"	#7	3	5 mm	0.582"	8.02 oz.	A
DFR 813	13'	#8	3	5 mm	0.551"	9 oz.	A
DFR 914	14'	#9	3	6 mm	0.570"	10.2 oz.	A
DFR 1015	15'	#10	3	6 mm	0.640"	10.4 oz.	A
Ari 'T Hart Fresh							
DFR AH #	Same specifications as DFR rods above, available with Ari 'T Hart reel seat.						D
Ari 'T Hart Salt							
DFR AH #	Same specifications as DFR rods above, available with Ari 'T Hart reel seat.						E



DFR DETAILS

- Three piece performance rods
- 57 MSI (modulus) butt and mid section
- 43 MSI tip section
- Hand ground internal ferrule with tip over design
- Computer design on near-perfect flex transition for smooth action
- Rosewood and nickel silver freshwater reel seat
- Pewter coat anodized aircraft aluminum saltwater reel seat with double uplock
- Silicon carbon strippers and titanium single foot guides



DFR
REDINGTON

D D E



ARI RODS ▸





Over the years, we've perfected our Freshwater, Saltwater and Bluewater rods by listening to reviews, comments and advice from the thousands of fly-fishers who've put them to the test.

For instance, we upgraded the blanks with the advanced tapers and materials found on our DFR rods. We added anodized aluminum reel seats and winding checks, incorporated single foot guides in to the design and broadened our offering in the Freshwater series to include Pewter and Rosewood reel seats.


All of this now makes *Redington Classic Rods* our broadest range of fly rods, fit for every kind of fishing requirement.

SECTION 01 RODS&REELS CLASSIC RODS

A B C D E F

Model	Length	Line wght.	Pieces	Tip size	Butt size	Rod wght.	Handle
Freshwater 2 piece							
FSF 5942	5'9"	#4	2	5 mm	0.235"	2.375 oz.	A
FSF 6642	6'6"	#4	2	5 mm	0.275"	2.5 oz.	A
FSF 7032	7'	#3	2	5 mm	0.290"	2.5 oz.	A
FSF 7632	7'6"	#3	2	4.5 mm	0.300"	2.375 oz.	A
FSF 7642	7'6"	#4	2	5 mm	0.320"	2.75 oz.	A
FSF 8022	8'	#2	2	4 mm	0.320"	2.5 oz.	A
FSF 8032	8'	#3	2	4 mm	0.330"	2.625 oz.	A
FSF 8042	8'	#4	2	5 mm	0.350"	2.75 oz.	A
FSF 8052	8'	#5	2	5.5 mm	0.330"	3 oz.	A
FSF 8632	8'6"	#3	2	4.5 mm	0.350"	3.125 oz.	A
FSF 8642	8'6"	#4	2	4.5 mm	0.385"	3.125 oz.	A
FSF 8652	8'6"	#5	2	5.5 mm	0.400"	3.125 oz.	B
FSF 8662	8'6"	#6	2	5.5 mm	0.430"	3.125 oz.	B
FSF 9032	9'	#3	2	5 mm	0.330"	3 oz.	A
FSF 9042	9'	#4	2	4.5 mm	0.395"	3.125 oz.	B
FSF 9052	9'	#5	2	4.5 mm	0.440"	3.25 oz.	B
FSF 9062	9'	#6	2	5 mm	0.435"	3.5 oz.	B
FSF 9072	9'	#7	2	5 mm	0.440"	3.75 oz.	B
FSF 9082	9'	#8	2	5 mm	0.450"	3.75 oz.	C
FSF 9662	9'6"	#6	2	4.5 mm	0.485"	3.625 oz.	D
FSF 9672	9'6"	#7	2	5 mm	0.490"	3.75 oz.	D
FSF 9682	9'6"	#8	2	5.5 mm	0.495"	3.875 oz.	D
FSF 10062	10'	#6	2	4.5 mm	0.485"	3.625 oz.	C
FSF 10072	10'	#7	2	4.5 mm	0.490"	5 oz.	D
FSF 10082	10'	#8	2	4.5 mm	0.495"	5 oz.	D
Freshwater 4 piece							
TFF 7644	7'6"	#4	4	5.5 mm	0.340"	3.125 oz.	A
TFF 8054	8'	#5	4	6 mm	0.350"	3.25 oz.	A
TFF 8664	8'6"	#6	4	5.5 mm	0.370"	3.375 oz.	A
TFF 9044	9'	#4	4	5 mm	0.425"	3.375 oz.	B
TFF 9054	9'	#5	4	5 mm	0.445"	3.375 oz.	B
TFF 9064	9'	#6	4	5 mm	0.460"	3.625 oz.	B
TFF 9074	9'	#7	4	5 mm	0.465"	3.875 oz.	B
TFF 9084	9'	#8	4	5 mm	0.470"	4.125 oz.	C





Are you a fly-fishing fanatic? Since you picked up this catalog, have you found it hard to put it down? Have you shared pages with your fishing buddies? Are the pages becoming frayed? Has reading this catalog given you an overwhelming desire to go fishing? Then what are you doing still reading this? Put it down, get your gear and get on the water.

Model	Length	Line wght.	Pieces	Tip size	Butt size	Rod wght.	Handle
Saltwater 2 piece							
SSF 7692	7'6"	#9	2	7 mm	0.405"	4.125 oz.	D
SSF 8092	8'	#9	2	7 mm	0.415"	4.25 oz.	D
SSF 9062	9'	#6	2	5 mm	0.440"	4.125 oz.	D
SSF 9072	9'	#7	2	5 mm	0.445"	4.25 oz.	D
SSF 9082	9'	#8	2	4.5 mm	0.430"	4.375 oz.	D
SSF 9092	9'	#9	2	5 mm	0.425"	4.5 oz.	D
SSF 9102	9'	#10	2	5.5 mm	0.480"	4.625 oz.	D
SSF 9112	9'	#11	2	6 mm	0.485"	4.625 oz.	D
SSF 9122	9'	#12	2	6.5 mm	0.480"	6.5 oz.	E
SSF 9682	9'6"	#8	2	5 mm	0.470"	4.625 oz.	D
Saltwater 4 piece							
TSF 9064	9'	#6	4	5 mm	0.460"	4 oz.	D
TSF 9074	9'	#7	4	5 mm	0.440"	4.375 oz.	D
TSF 9084	9'	#8	4	5 mm	0.470"	4.5 oz.	D
TSF 9094	9'	#9	4	5 mm	0.510"	4.625 oz.	D
TSF 9104	9'	#10	4	5 mm	0.500"	4.75 oz.	D
TSF 9114	9'	#11	4	6 mm	0.510"	5 oz.	D
TSF 9124	9'	#12	4	6.5 mm	0.515"	6.5 oz.	E
Bluewater							
BWF 61151	6'1"	#15	1	10 mm	0.650"	8.5 oz.	F
BWF 69141	6'9"	#14	1	7 mm	0.625"	7.875 oz.	F
BWF 76122	7'6"	#12	2	7 mm	0.435"	5.25 oz.	D
BWF 8132	8'	#13	2	7 mm	0.540"	5.5 oz.	E
BWF 86122	8'6"	#12	2	7 mm	0.560"	6.375 oz.	E
BWF 86152	8'6"	#15	2	7 mm	0.630"	6.25 oz.	F



The *Wayfarer* is designed for fly travelers. Like many of our other rods, it utilizes tip-over-ferrule construction for added strength and smoothness. Designed with 44 million modulus graphite makes, the Wayfarer is lightweight with a quick, sensitive action. Choose from the broadest range of five-piece rods in the industry. Eight fresh and salt-water models in lengths from 7 1/2 to 10 feet come with their own Cordura case, Redington's Unconditional Lifetime Guarantee, and best of all, a price that's half the cost of any other comparable offering.






01 RODS&REELS WAYFARER








ONTHEROADAGAIN

If you like to travel, and you like to fish when you do, then the Redington Wayfarer is the rod for you. It's the first reasonably priced five-piece travel rod, making it perfect for carrying on planes, trains or automobiles – anyplace where space is at a premium. The Wayfarer breaks down to a size small enough to fit in just about any piece of luggage, so you can keep it with you safely wherever you go.

A B



Model	Length	Line wght.	Pieces	Compact length	Handle
Wayfarer					
WFR 5764	7'6"	#4	5	1'6"	A
WFR 5865	8'6"	#5	5	1'8.4"	A
WFR 595	9'	#5	5	1'9.6"	A
WFR 596	9'	#6	5	1'9.6"	A
WFR 597	9'	#7	5	1'9.6"	B
WFR 598	9'	#8	5	1'9.6"	B
WFR 5967	9'6"	#7	5	1'10.8"	B
WFR 5107	10'	#7	5	2'	B




Wayfarer



MANY THANKS:

Praise has been universal for our *Red.Fly* series of rods, reels and outfits. This is our most radical effort yet to offer the best fly fishing equipment at the absolute best prices. The effort seems to be working. We've received all kinds of kudos from reviewers and industry publications, not to mention thanks from fishermen across the globe. If you ask us, the thanks are better than the praise. But we'll take both.



01 RODS&REELS
RED.FLY

23

A B



Model	Length	Line wght.	Pieces	Handle
Red.Fly				
RF 763/4	7'6"	#3/4	2	A
RF 805/6	8'	#5/6	2	A
RF 905/6	9'	#5/6	2	A
RF 906/7	9'	#6/7	2	A
RF 908/9	9'	#8/9	2	B
RF 966/7	9'6"	#6/7	2	A/B
RF 967/8	9'6"	#7/8	2	B
RF 1006/7	10'	#6/7	2	A/B
RF 1007/8	10'	#7/8	2	B
TRF 764/5	7'6"	#4/5	4	A
TRF 805/6	8'	#5/6	4	A
TRF 864/5	8'6"	#4/5	4	A
TRF 905/6	9'	#5/6	4	A
TRF 906/7	9'	#6/7	4	A
TRF 908/9	9'	#8/9	4	B
TRF 967/8	9'6"	#7/8	4	B
TRF 1006/7	10'	#6/7	4	A/B
RF3 966/7	9'6"	#6/7	3	A/B
RF3 967/8	9'6"	#7/8	3	B
RF3 1006/7	10'	#6/7	3	A/B
RF3 1007/8	10'	#7/8	3	B
RF3 1066/7	10'6"	#6/7	3	A/B
RF3 1136/7	11'3"	#6/7	3	A/B

Blue, Red.Fly rod tube optional

Model	Length	Line wght.	Pieces
Double Handled Red.Fly			
DHRF 1267/8	12'6"	#7/8	3
DHRF 1308/9	13'	#8/9	3
DHRF 1409/10	14'	#9/10	3
DHRF 1510/11	15'	#10/11	3

Red.Fly™



High Praise:

"Best rod for the new Millennium. Just might be the industry's best value. Made of proven, cutting-edge graphite, the Red delivers easy loading and easy winding. The ideal combo for newcomers and part-time water-floggers."

– JERRY GIBBS *Outside Magazine*









Model	Reel	Line wght.	Pieces	Leader	Backing (yds. of #20)
Red.Fly Outfits					
ORF 763/4	RF4	#4	2	5 X 9'	100
ORF 805/6	RF5	#6	2	5 X 9'	100
ORF 905/6	RF5	#6	2	5 X 9'	100
ORF 906/7	RF7	#7	2	5 X 9'	100
ORF 908/9	RF8	#9	2	1 X 9'	100
ORF 966/7	RF7	#7	2	1 X 9'	100
ORF 967/8	RF8	#8	2	1 X 9'	100
ORF 1006/7	RF8	#7	2	1 X 9'	100
ORF 1007/8	RF8	#8	2	1 X 9'	100
OTRF 764/5	RF4	#5	4	5 X 9'	100
OTRF 805/6	RF5	#6	4	5 X 9'	100
OTRF 864/5	RF5	#5	4	5 X 9'	100
OTRF 905/6	RF5	#6	4	5 X 9'	100
OTRF 906/7	RF7	#7	4	5 X 9'	100
OTRF 908/9	RF8	#9	4	1 X 9'	100
OTRF 967/8	RF8	#8	4	1 X 9'	100
OTRF 1006/7	RF8	#7	4	1 X 9'	100
ORF3 966/7	RF7	#7	3	5 X 9'	100
ORF3 967/8	RF8	#8	3	1 X 9'	100
ORF3 1006/7	RF7	#7	3	5 X 9'	100
ORF3 1007/8	RF8	#8	3	1 X 9'	100
ORF3 1066/7	RF7	#7	3	5 X 9'	100
ORF3 1136/7	RF7	#7	3	5 X 9'	100

Outfit includes a Red.Fly click and pawl reel, knotless leader, weight forward floating fly line, 100 yards of backing, rod and case.



RED.FLY REELS & SPOOLS

Model	Line wght.	Capacity 20#
Red.Fly Reels		
RF4	#3/4	WF4F + 75 yd.
RF5	#5/6	WF5F + 100 yd.
		WF6F + 75 yd.
RF7	#6/7	WF6F + 75 yd.
		WF7F + 40 yd.
RF8	#8/9/10	WF8F + 100 yd.
		WF9F + 75 yd.
		WF10F + 40 yd.





Machined reels are arguably the best type of reels you can buy. On that point, you won't get much argument from anglers. Unfortunately, the price of most machined reels is beyond the reach of many fly-fishermen and women. So at Redington, we set our minds to creating the first quality machined reels with an affordable price tag. Did we have to lower our standards along with the price? No way. In fact, our reels recently received recognition as ***New Product of the Year*** from the European Fly Tackle Trade Association.



01 RODS&REELS
REDINGTON REELS

FRONT
BACK

FRONT
BACK











EFTTEX 2000 AWARD:

It was quite a thrill for all of us at Redington when our reels captured one of fly-fishing's most prestigious international awards at EFTTEX 2000 in Lyon, France. Members of the European Fly Tackle Trade Association awarded our reels the Best of Show crystal trophy in the new products category.



Model	Width	Diameter	Wght.	Line wght.	Yards/lb.*
Standard Arbor					
AS 3/4	0.86"	2.75"	5.5 oz.	#4	50/20
AS 5/6	0.86"	3"	5.8 oz.	#6	100/20
AS 7/8	1"	3.3"	6.9 oz.	#8	250/20
AS 9/10	1"	3.75"	8.0 oz.	#10	250/30
AS 11/12	1"	4"	8.3 oz.	#12	350/30
AS 13/14	1"	5"	10 oz.	#14	450/30
Large Arbor					
AL 3/4	1.5"	3.0"	7.52 oz.	#4	125/20
AL 5/6	1.5"	3.25"	7.95 oz.	#6	150/20
AL 7/8	1.5"	3.5"	8.5 oz.	#8	200/20
AL 9/10	1.5"	3.75"	9.1 oz.	#10	200/30
AL 11/12	1.5"	4"	10.1 oz.	#12	250/30
AL 13/14	1.5"	4.5"	10.8 oz.	#14	300/30

o LARGE ARBOR (GOLD)
PRIMARY ASSEMBLY, REAR VIEW



o LARGE ARBOR (GOLD)
COMPLETELY EXPLODED VIEW

o LARGE ARBOR (GOLD)
PRIMARY ASSEMBLY, FRONT VIEW



*small diameter backing

Ari 'T Hart is the world's greatest designer of reels. Every morning, Ari wakes up and asks himself, "What can I invent today?" Then he goes into a small metalworking shop just off his kitchen and gets to work. Designing things is in his blood. In fact, when Ari isn't working on reels, he's adding little touches, like doorknobs, to the house he designed for himself in Holland.



"THE ORIGINAL"

Fly Reels


www.arihart.com

01 RODS&REELS REDINGTON HART

RH I	
Diameter	2 7/8"
Width	1 5/16"
Weight	5.60 oz.
Capacity	WF, DT #4, 5, 6 50 yds/ 20#
RH II	
Diameter	3 1/4"
Width	1 5/16"
Weight	6.33 oz.
Capacity	WF #7 150 yds. 20#
	WF #8 100 yds. 20#
RH III	
Diameter	3 3/4"
Width	1 1/2"
Weight	8.58 oz.
Capacity	WF #9 250 yds. 20#
	WF #10 200 yds. 30#

40 Years of Genius:

Considering Ari's vast experience, we thought we'd ask him to design a reel for us at Redington. The simple design of the standard setting reel he put together for us is a testament to his abilities. Made of machined bar stock aluminum with a cork disc drag, Ari machined every part of these reels (even the screws are hand-polished), and set the patterns with CAD/CAM machines. You'll find Ari's masterpieces available in line weights 2-10.



FRONT
BACK

FRONT
BACK

FRONT











RH 0

Diameter	2 3/8"
Width	1 3/8"
Weight	2.95 oz.
Capacity	WF #2, 3 50 yds. 20#
	DT #2, 3 50 yds. 20#

RH III L - Large Arbor

Diameter	3 3/4"
Width	1 1/2"
Weight	8.4 oz.
Capacity	WF #7 150 yds. 20#
	WF #8 100 yds. 20#

General specifications

Frame and Spool	51 ST Anodized Aluminum
Shaft	Hard bronze, Runs between main shaft and bearing
Spring	RVS 303 Stainless steel
Clicker	Hand made with stainless spring steel and rubber
Screws	RVS 303 Stainless steel machined by Hart
Clicker Ring	Delrin
Drag Material	Cork
Drag System	Sealed water-resistant bearing house with cam adjustment
Reel Foot	Titanium
LH/RH	Reversible, change spring. Both springs supplied.
Spool	Quick change pressure system
Product	All parts designed in the Netherlands by Ari 'T Hart
Reel Case	Neoprene

Each Redington-Hart reel will be individually numbered.







Light tackle rod design has not been a very precise business. At first, there wasn't enough definition, so you had to compromise each time you bought a rod. Then the industry moved to specifying every rod, and the number of models ballooned from 10 to 260. Try finding the right rod out of 260.


Actually choosing the right light tackle rod is easy, because Dave Redington has built the right rods from the beginning. These are the core rods. The ones Dave thinks are the right rods. When it comes to fishing, Dave is always right.

01 RODS&REELS LIGHTTACKLE

Model	Length	Line wght.	Lure wght.	Action
One Piece Spin Rod				
SP5001	5'	#1-4	1/32-3/16	Med-fast
SP5601	5'6"	#2-6	1/32-3/8	Fast
SP6061	6'	#6-12	3/16-3/4	Fast
SP6121	6'	#12-20	1/4-1 1/4	Med-fast
SP6661	6'6"	#6-12	1/4-3/4	Med-fast
SP6681	6'6"	#8-15	3/8-1	Fast
SP66101	6'6"	#10-20	1/4-3/4	Fast
SP7061	7'	#6-12	1/4-1/2	Fast
SP7081	7'	#8-17	3/8-3/4	Med-fast
SP7101	7'	#10-17	1/4-1 1/2	Med-fast
SP7301	7'	#20-30	2 1/2-4	Fast
SP7661	7'6"	#6-12	1/4-1 1/2	Med-fast
SP76121	7'6"	#12-25	3/8-2	Med-fast
Two Piece Spin Rod				
SP6012	6'	#2-6	1/16-3/8	Med-fast
SP6622	6'6"	#4-8	1/8-3/8	Fast
SP6642	6'6"	#6-12	1/4-1/2	Med-fast
SP6662	6'6"	#8-15	1/4-5/8	Fast
SP7012	7'	#2-6	1/16-1/4	Fast
SP7022	7'	#4-8	1/8-3/8	Med-fast
SP7032	7'	#4-10	1/4-1/2	Med-fast
SP7222	7'	#6-12	1/4-1/2	Fast
SP7042	7'	#10-17	3/8-3/4	Fast
SP8082	8'	#8-12	1/4-3/4	Med-fast
SP8362	8'3"	#6-12	1/4-3/4	Fast
SP8682	8'6"	#8-12	1/4-3/4	Med-fast
SP8662	8'6"	#6-12	1/4-5/8	Med
SP8692	8'6"	#10-17	3/8-1	Med-fast
(M) SP9042	9'	#4-10	1/8-3/8	Med
(M) SP9062	9'	#6-10	1/16-1/2	Med-fast
(M) SP9082	9'	#10-17	3/8-3/4	Med-fast
(M) SP10062	10'	#6-10	1/16-3/8	Med

(M) Available In Michigan Drift Handles

Model	Length	Line wght.	Lure wght.	Action
One Piece Casting Rods				
BC6011	6'	#6-12	3/16-1/2	Med-fast
BC6021	6'	#6-12	1/4-1	Med-fast
BC6031	6'	#10-17	1/4-3/4	Fast
BC6121	6'	#12-20	1/2-1	Fast
BC6621	6'6"	#8-15	1/4-5/8	Fast
BC6631	6'6"	#10-17	1/2-1	Fast
BC7031	7'	#8-17	3/8-3/4	Med-fast
BC7041	7'	#10-17	1/2-1	Fast
BC7051	7'	#12-20	1/2-1	Fast
BC7301	7'	#20-30	2 1/2-4	Fast
BC76121	7'6"	#12-30	3/8-2	Med-fast
Two Piece Casting Rods				
BC8682	8'6"	#8-12	1/4-1	Med-fast
BC9062	9'	#6-10	1/8-5/8	Med
BC9082	9'	#8-12	1/4-5/8	Med-fast
BC9102	9'	#10-20	1/2-1 1/2	Med-fast
BC96122	9'6"	#12-20	1/2-1	Med-fast
One Piece Pistol Grip Casting Rods				
PC5081	5'	#8-17	1/4-3/4	Extra fast
PC5681	5'6"	#8-17	1/4-3/4	Extra fast
PC6081	6'	#8-17	1/4-3/4	Extra fast
PC6681	6'6"	#8-15	1/4-5/8	Fast
PC66101	6'6"	#10-17	1/4-3/4	Fast



New 3 piece tri-Modulus travel spin & casting rods:
Redington offers the widest array of 3-piece spin and casting travel rods on the market. If you're looking for the perfect high-modulus match for your fly rod, these fit the bill. The blanks are an adaptation of our tri-modulus DFR blanks, and offer the same lightweight performance. Plus, both two- and three-piece rods in our Light Tackle range come with our good-looking Cordura rod tubes.

SPINREELS

- *6 Bearing System*
- *Anti-reverse Backlash System*
- *Power Metal Material*
- *Anodized Aluminum Spool System*
- *Balance Rotor System*
- *Anti-backlash Handle*
- *Reversible One-touch Folding Handle*



Model	Length	Line wght.	Lure wght.	Action
Three Piece Spin Rods				
SPL 6063	6'	#6-12	3/16-3/4	Med
SPL 6663	6'6	#6-12	1/4-3/4	Med
SPL 7063	7'	#6-12	1/4-1/2	Med
SPL 7083	7'	#8-17	3/8-34	Med
SPM 6683	6'6"	#8-15	3/8-1	Fast
SPM 7063	7'	#6-12	1/4-1 1/2	Fast
SPH 7123	7'	#12-20	3/4-1 3/4	Very fast
SPH 7623	7'6"	#12-25	3/8-2	Very fast
Three Piece Casting Rods				
BCM 6683	6'6"	#8-15	3/8-1	Fast
BCM 7663	7'6"	#6-12	1/4-1 1/2	Fast
BCH 7123	7'	#12-20	3/4-1 3/4	Very fast
BCH 7623	7'6"	#12-25	3/8-2	Very fast



Model	Wght.	Bearings	Line capacity	Gear
Light Tackle Spin Reels				
LT 600	9.5	6	4/150, 6/100	5.2:1
LT 700	9.8	6	6/150, 8/120	5.2:1
LT 750	12	6	6/225, 8/150	5.2:1
LT 800	12.6	6	8/175, 10/125	5.2:1