



PO Box 3565 Ocala, FL 34478-3565  
 Phone: 1-800-522-8477 or 1-352-237-6288  
 Fax: 1-352-351-2057 Web: www.usascientific.com

# FORMATTING INSTRUCTIONS FOR LASER CRYO-BABIES® and CRYO-TAGS® IN MICROSOFT WORD®

1. Open Word
  2. For Word 2010 and 2007 Users: Click on Mailings > Labels  
 For Word 2003 Users: Click on Tools > Envelopes & Labels  
 For Word 2000 Users: Click on Tools > Letters & Mailings > Envelopes & Labels
  3. Click on Labels tab
  4. Click on Options
  5. Under Printer Information select the Laser option
  6. Under Tray, select Manual Feed
  7. Click on New Label to customize your label
  8. Type in a name for the label (e.g. Catalog Number)
  9. Insert the Label Details **[shown at bottom of page]** and click OK
  10. Select the label you made in the Label Options window and click OK
  11. In the Envelopes & Labels window, type your information in the area provided and click on New Document
  12. When the cells appear on the screen, select the entire document
  13. When the whole document is highlighted, choose an appropriate font and font size\* and center the type horizontally using the Center command located in the toolbar
- If the text in either the rows or columns do not align, continue with Steps 14 -15 otherwise skip to Step 16.**
14. After centering the text horizontally, highlight the entire sheet and align the text vertically by right clicking and selecting Cell Alignment
  15. Click the Align Top Center, Left or Right icon (depending on where the text needs to be aligned)
  16. To determine if your text will fall within the boundaries of the label, have the Gridlines showing
  17. Before printing a sheet of labels, print a test page on blank paper and line it up with a sheet of labels to ensure the text lines up correctly

Notes:

- Pass the laser sheet through the printer only once
- Manually feed the laser sheets one at a time
- Print your labels on a blank sheet of paper and check the positioning on a blank sheet of labels
- Minor adjustments may be required depending on your printer and/or software you are using

\* Suggested Font Sizes: 8 pt. for smaller labels or 10-12 pt. for larger labels

Catalog No.	9187-1300	9187-1400	9187-2500	9187-3020
Label Size	1.125" x 1.75"	1.00" x 1.00"	2.50" x 0.50"	3.00" x 2.00"
Top Margin	0.25"	0.50"	0.50"	0.22"
Side Margin	0.28"	0.25"	0.47"	1.00"
Vert. Pitch	1.75"	1.00"	0.50"	2.00"
Horiz. Pitch	1.125"	1.00"	2.50"	3.00"
Label Height	1.75"	1.00"	0.50"	2.00"
Label Width	1.125"	1.00"	2.50"	3.00"
No. Across	7	8	3	3
No. Down	6	10	20	4
Page Size	8.5" x 11"	8.5" x 11"	8.5" x 11"	11" x 8.5"

See reverse side for more information on Cryo-Babies® and Cryo-Tags® →



# LASER CRYO-BABIES<sup>®</sup> AND CRYOTAGS<sup>®</sup>


## Labels for Cryogenic Storage<sup>i</sup>

**DURABLE** - Chemically inert, polyolefin labels resist most organic solvents and caustic agents. They adhere to most plastics†, glass, and metals without cracking, peeling, or degrading.

**TEMPERATURE-RESISTANT** - From -196°C to 100°C, Cryo-Babies and Cryo-Tags withstand boiling water baths, moderate oven temperatures (150°C), autoclaving and extreme freezer temperatures (liquid and vapor phase nitrogen).

**SPECIALLY DESIGNED** - Label sheets are specially top-coated to readily accept laser printing. Heat-resistant, stay-flat sheets will not jam in laser printers.

**IDEALLY SIZED** - Will fit a wide variety of cryovials, microtubes, storage boxes and other containers.



CAT. NO.	COLOR	LABEL SIZE	LABELS PER SHT/PK	PRICE
9187-1300	White	1.125" x 1.75" / 29mm x 44mm	42 / 840	60.00
9187-1400	White	1.00" x 1.00" / 25mm x 25mm	80 / 1,600	60.00
9187-2500	White	2.50" x 0.50" / 64mm x 13mm	60 / 1,200	60.00
9187-3020	White	3.00" x 2.00" / 76mm x 51mm	12 / 240	60.00
9187-2000	White	8.50" x 11" / 216mm x 279mm	Blank sheet	50.00

### ORDER INFORMATION

**Online:** [www.usascientific.com](http://www.usascientific.com)

**Phone:** 1-800-522-8477  
1-352-237-6288

**Fax:** 1-352-351-2057

**Mail:** USA Scientific, Inc.  
PO Box 3565  
Ocala, FL 34478-3565

† NOTE: Siliconized surfaces should be avoided. Apply to clean, dry tubes at room temperature. Tubes made of 100% virgin polypropylene are recommended.

<sup>i</sup> patented

See reverse side for formatting instructions in Microsoft Word<sup>®</sup>