



LASER TOUGH-SPOTS®

Pre-cut, Peel-off Round Labels for Microcentrifuge Tube Tops


DURABLE - Chemically inert, polyolefin labels resist most organic solvents and caustic agents. They adhere to most plastics†, glass, and metals without cracking, peeling, or degrading.

TEMPERATURE-RESISTANT - From -196°C to 100°C, Tough-Spots withstand boiling water baths, moderate oven temperatures (150°C), autoclaving and extreme freezer temperatures (liquid and vapor phase nitrogen).

SPECIALLY DESIGNED - Label sheets are specially top-coated to readily accept laser printing. Heat-resistant, stay-flat sheets will not jam in laser printers.

IDEALLY SIZED - Fits a variety of microcentrifuge tube tops, cryovial caps and lids, as well as many other laboratory container caps, lids and covers.

COLOR CODING - 3/8" and 1/2" diameter Laser Tough-Spots are available in white, blue, green, orange, red and yellow.



CAT. NO.	COLOR	SPOT DIAMETER	SPOTS PER SHEET / PK	PRICE
9185-1000	White	3/8" - 9.5mm	192 / 3,840	\$60.00
9185-1001	Blue	3/8" - 9.5mm	192 / 3,840	60.00
9185-1002	Green	3/8" - 9.5mm	192 / 3,840	60.00
9185-1003	Orange	3/8" - 9.5mm	192 / 3,840	60.00
9185-1004	Red	3/8" - 9.5mm	192 / 3,840	60.00
9185-1006	Yellow	3/8" - 9.5mm	192 / 3,840	60.00
9185-1008	Assorted*	3/8" - 9.5mm	192 / 3,840	60.00
9185-5000	White	7/16" - 11mm	234 / 4,680	\$60.00
9185-2000	White	1/2" - 13mm	192 / 3,840	\$60.00
9185-2001	Blue	1/2" - 13mm	192 / 3,840	60.00
9185-2002	Green	1/2" - 13mm	192 / 3,840	60.00
9185-2003	Orange	1/2" - 13mm	192 / 3,840	60.00
9185-2004	Red	1/2" - 13mm	192 / 3,840	60.00
9185-2006	Yellow	1/2" - 13mm	192 / 3,840	60.00
9185-2008	Assorted*	1/2" - 13mm	192 / 3,840	60.00
9185-3000	White	3/4" - 19mm	108 / 2,160	\$60.00
9185-4000	White	1.00" - 25mm	63 / 1,260	60.00

*Assorted Packs include 4 sheets of each color (Blue, Green, Orange, Red and Yellow)

ORDER INFORMATION

Online: www.usascientific.com

Phone: 1-800-522-8477
1-352-237-6288

Fax: 1-352-351-2057

Mail: USA Scientific, Inc.
PO Box 3565
Ocala, FL 34478-3565

† NOTE: Siliconized surfaces should be avoided. Apply to clean, dry tubes at room temperature. Tubes made of 100% virgin polypropylene are recommended.

See reverse side for formatting instructions in Microsoft Word® →



PO Box 3565 Ocala, FL 34478-3565
 Phone: 1-800-522-8477 or 1-352-237-6288
 Fax: 1-352-351-2057 Web: www.usascientific.com

FORMATTING INSTRUCTIONS FOR LASER TOUGH-SPOTS® IN MICROSOFT WORD®

1. Open Word
 2. For Word 2010 and 2007 Users: Click on Mailings > Labels
 For Word 2003 Users: Click on Tools > Envelopes & Labels
 For Word 2000 Users: Click on Tools > Letters & Mailings > Envelopes & Labels
 3. Click on Labels tab
 4. Click on Options
 5. Under Printer Information select the Laser option
 6. Under Tray, select Manual Feed
 7. Click on New Label to customize your label
 8. Type in a name for the label (e.g. Catalog Number)
 9. Insert the Label Details **[shown at bottom of page]** and click OK
 10. Select the label you made in the Label Options window and click OK
 11. In the Envelopes & Labels window, type your information in the area provided and click on New Document
 12. When the cells appear on the screen, select the entire document
 13. When the whole document is highlighted, choose an appropriate font and font size* and center the type horizontally using the Center command located in the toolbar
- If the text in either the rows or columns do not align, continue with Steps 14 -15 otherwise skip to Step 16.**
14. After centering the text horizontally, highlight the entire sheet and align the text vertically by right clicking and selecting Cell Alignment
 15. Click the Align Top Center, Left or Right icon (depending on where the text needs to be aligned)
 16. To determine if your text will fall within the boundaries of the label, have the Gridlines showing
 17. Before printing a sheet of labels, print a test page on blank paper and line it up with a sheet of labels to ensure the text lines up correctly

- Notes:
- Pass the laser sheet through the printer only once
 - Manually feed the laser sheets one at a time
 - Print your labels on a blank sheet of paper and check the positioning on a blank sheet of labels
 - Minor adjustments may be required depending on your printer and/or software you are using
- * Suggested Font Sizes: 8 pt. for smaller labels or 10-12 pt. for larger labels

Cat. No.	9185-1000	9185-2000	9185-3000	9185-4000	9185-5000
Label Diameter	3/8" - 9.5mm	1/2" - 13mm	3/4" - 19mm	1.00" - 25mm	7/16" - 11mm
Top Margin	0.62"	0.52"	0.31"	0.50"	0.44"
Side Margin	0.69"	0.52"	0.35"	0.35"	0.59"
Vert. Pitch	0.63"	0.63"	0.88"	1.13"	0.57"
Horiz. Pitch	0.63"	0.63"	0.88"	1.13"	0.57"
Label Height	0.38"	0.50"	0.75"	1.00"	0.44"
Label Width	0.38"	0.50"	0.75"	1.00"	0.44"
No. Across	12	12	9	7	13
No. Down	16	16	12	9	18
Page Size (letter)	8.5" x 11"	8.5" x 11"	8.5" x 11"	8.5" x 11"	8.5" x 11"

See reverse side for more information on Tough-Spots® →